

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____

Allottee **CONCRETE**

Lease No. **CONCRETE 1951**

X		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

SEPTEMBER 15, 1959

Well No. **5-12-2** is located **500** ft. from **S** line and **500** ft. from **W** line of sec. **8**
25 25 **8** **25 25** **140** **25 25**
 (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
ALABAMA **25 25** **140** **25 25**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the **well head** above sea level is **500** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well No. 5-12-2
 Set drillable bit at 500'. First casing with 4 JTW from 5000-55 and 5510-5550.
 First casing with 20,000 gals oil and 20,000 sand. Avg pressure 1200 psi.
 and 1200, sand 1200 psi. In oil flow at 1200 psi and 21.5 gals at 1200. Average
 I.R. 21.5 gals. Now flowing back lead oil.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **CONCRETE PRODUCTION CORP.**

Address **250 CONCRETE BLVD.**

ALABAMA, U. S. A.

By **M. B. JONES**

Title **MAN. ENGR., PROD. OPER.**

