

(SUBMIT IN TRIPLICATE)

Indian Agency New Mexico

Center 1-115-D-9312

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Allottee \_\_\_\_\_

License No. 172908

1		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____
NOTICE OF INTENTION TO ABANDON WELL _____	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico Nov. 11, 1958

1 - EA - NE - PAN

Well No. 1 is located 1900 ft. from N line and 660 ft. from E line of sec. 27

SW 1/4 of Sec. 27

(1/4 Sec. and Sec. No.)

San Juan

(Twp.)

SW

(Range)

(Meridian)

Sepp

(Field)

San Juan

(County or Subdivision)

New Mexico

(State or Territory)


The elevation of the derrick floor above sea level is 6766 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

11-1-58

Set Baker Fall Rate Counter at 3900'. Spaced perforations in 3 1/2" casing from 4114' to 4116' with 200 gm. Regular Cement. Also put cement plug from 3900' to 4114' with 75 gm. Regular Cement. Removed casinghead and spotted top plug from 25' to surface, and installed Abandonment Marker.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Marble Oil & Refining Company

Address Box 1268

Farmington

New Mexico

By J. C. Hickey

Title Agent

