



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. SF-079712-G  
Unit \_\_\_\_\_  
Co. Loc. No. 239549

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED

AUG 21 1957

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

TANNER UNIT

Farmington, New Mexico August 19, 1957

Well No. 1 is located 1010 ft. from N line and 970 ft. from E line of Sec. 19

SW/4 Section 21 T-24-N R-12-W  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Tanner Unit San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6087 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

8/16/57: DST #8 from 4962' - 5022' w/1" TC & 3/4" BC. TO 1 hr. Fair blow thruout. IF-75, FF-625, IM-2600, FM-2575, SIP after 30 minutes 2200#. Recovered 120' OAGCM and 1180' OAGC salt water. Test satisfactory.

8/17/57: DST #9 from 5024' - 5072' w/1" TC & 3/4" BC. TO 1-1/2 hrs., strong blow thruout. IM-2675, IF-21, FF-200, FM-2675, SIP after 30 min. 2200#. Recovered 900' slightly oil out drlg. mud, and 810' salt water. Chl in ditch 700 PPM, in test 12,500 PPM. Test satisfactory.

8/18/57: DST #10 from 5079' - 5172' w/1" TC & 3/4" BC. TO 1 hr. Water to surface in 24 minutes. IM-2750, IF-1350, FF-2200, FM-2750, 30 min. SI - 2250#. Flowed approximately 36 gal water/min. Chl in ditch 700 PPM, test 2,000 PPM.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company

Address Box 1268

Farmington, New Mexico

By COPY ORIGINAL SIGNED: R. M. LILLY  
Russell M. Lilly  
Title Dist. Supt.

AW/

