

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

**SUBMIT IN TRIPLICATE**

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Dugan Production Corp.

3. Address and Telephone No.

P.O. Box 420, Farmington, NM 87499 (505) 325-1821

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1980' FSL & 2100' FWL (NE/4 SW/4)

Unit K, Sec. 7, T24N, R9W

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Sixteen G's #4

9. API Well No.

30 045 - 27470

10. Field and Pool, or Exploratory Area

Basin Dakota

11. County or Parish, State

San Juan County, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent  
☒ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☒ Other T.D., casing & cement

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

T.D. 6570' reached on 3/26/97. TIH with 148 jts. 4 1/2" 11.6# & 10.5# J-55 LT&C & ST&C casing landed at 6575', float collar @ 6534'. Stage tool @ 4433'. Cement 1st stage with 550 sx 50/50/2 with 1/4# celloflake/sk (total slurry 1st stage = 698 cu.ft.). Plug down @ 1530 hrs. Opened stage tool. Circulate 2 1/2 hours. Pump 10 bbls mud flush. Cement 2nd stage w/750 sx 65/35/12 with 1/4# celloflake. Tail with 150 sx 50/50/2 with 1/4# celloflake (total slurry 2nd stage = 1848 cu.ft.). Total cement slurry both stages = 2546 cu.ft. Had good circulation throughout both stages. Circulate 10 bbls water put ahead of mud flush on 2nd stage. Top of cement 308' (per temperature survey).

14. I hereby certify that the foregoing is true and correct

Signed Gary Drink Title Operations Manager Date 3/31/97  
(This space for Federal or State office use)

Approved by \_\_\_\_\_  
Conditions of approval, if any:

Title \_\_\_\_\_ Date \_\_\_\_\_

**ACCEPTED FOR RECORD**

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

FARMINGTON DISTRICT OFFICE

BY 1111