5 BLM 1 File

SUB (0) FORM APPROVED MB NO. 1004-0136

MIL IN LIGHTONIA.	
ther fastructions on	С
zeverse side)	Exp

APPLIC	DEPARTMEN	TED STATES			
APPLIC		T OF THE IN	NTERIOR		S. LEASE DESIGNATION AND SERIAL NO.
APPLIC	BUREAU OF	LAND MANAG	EMENT RE	CEIVED	NM 83507
	CATION FOR P	ERMIT TO D	RILL OR DE	PEN	6. IF INDIAN, ALLOTTEN OR TRIBE NAME
A. TIPS OF WORK	LL 🛚	DEEPEN [	]	19 PM 1:25	7. ONIT AGERMENT NAME
b. TIPE OF WALL			MINGLE TY	MOLTIFLE (	
	ELL Y OTHER		EON'S	zoxi: VL VII	Supai Point #91
HAME OF OFFEREN	TION CODD	06515	3, 5		9. AT WELL NO.
DUGAN PRODUC	TION CORP.				30.045-2 <i>9637</i>
P.O. Pox 420	, Farmington,	NM 87499			10. FIELD AND POOL, OR WILDCAT 7/6
LOCATION OF WELL (Re	port location clearly and	i in accordance with	any State requireme	nts.*)	Basin Fruitland Coal
At surface 990' FN	NL & 1850' FEL	(NW/4 NE/4)			11. SEC., T., B., M., OR BLX. AND SURYET OR AREA
At proposed prod. sone		, , ,			Unit B
					Sec. 20, T24N, R8W
DISTANCE IN MILES A			OFFICE		San Juan NM
Approx. 4 mile	es NE of Nagee:	zi, NM	16. NO. OF ACRES IN	LEASE 17. NO.	OF ACRES ASSIGNED
5. DISTANCE FROM PROPUS LOCATION TO NEAREST PROPUSTY OR LEASE LI	DISTANCE FROM PROPUSED*		880	70 1	320
(Also to nearest drig.	unit line. if \$AT)	990' 1030'	19. PROPOSED DEPTH	20. ROTA	RY OR CARLY TOOLS
TO NEAREST WELL, DR	ILLING. COMPLETED. FOR	ρρς Σφήρρς Σφήρος	1815'	R	otary
. ELEVATIONS (Show wheth		DINC #1			22. APPROX. DATE WORK WILL START* ASAP
6705' GR (est					ADAL
i	<u></u>	PROPOSED CASIN	G AND CEMENTING	PROGRAM	
SIZE OF HOLE	08A06, 925 0F CASH0	WEIGHT PER POO	T SETTING D	EPTH	QUESTITY OF CEMENT
	7"	20#	120'		(59 cu.ft.) circ. to su
9-7/8" 6-1/4"	4½"	10.5#	1815'	UNILLINGS	PERATIONS AUTHORIZED ARE
6-1/4" his action is subject to coodural review pursuant to	o technical and uant to 43 CFR 3180 43 CFR 3185.4.	3.3	20! of 7" OD.	**GENERAL	O COMPLIANCE WITH ATTACHE REQUIREMENTS" urface casing;
6-1/4" his action is subject to occodural review pursuant to appeal pursuant to then plan to test the Fru productive.	o technical and uant to 43 CFR 3166.4.  1 a 9-7/8" hol	e and set 12 " hole to to rmation. P1 10.5#, J-55	0' of 7" OD, stal depth wi an to run IE casing, sele	**UNJECT T  "GENERAL  20#, J-55 s  th gel-water S and CDL 10	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing;  -mud program to  gs. If determined
6-1/4" his action is subject to coodural review pursuant to appeal pursuant to then plan to test the Fru productive.	o technical and uant to 43 CFR 3160, 43 CFR 3165.4.  1 a 9-7/8" hold drill a 6-1/4 itland Coal fowill run 4½",	e and set 12 " hole to to rmation. P1 10.5#, J-55	0' of 7" OD, stal depth wi an to run IE casing, sele	**UNJECT T  "GENERAL  20#, J-55 s  th gel-water S and CDL 10	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing;  -mud program to cs. If determined
6-1/4" his action is subject to coodural review pursuant to appeal pursuant to then plan to test the Fru productive.	o technical and uant to 43 CFR 3160, 43 CFR 3165.4.  1 a 9-7/8" hold drill a 6-1/4 itland Coal fowill run 4½",	e and set 12 " hole to to rmation. P1 10.5#, J-55	0' of 7" OD, stal depth wi an to run IE casing, sele	**UNJECT T  "GENERAL  20#, J-55 s  th gel-water S and CDL 10	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing;  -mud program to gs. If determined
6-1/4" his action is subject to occdural review pursuant to appeal pursuant to then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coal coal footon and coal footon	e and set 12 " hole to to rmation. P1 10.5#, J-55 omplete well	or of 7" OD, otal depth wi an to run IE casing, sele	**GENERAL  20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing;  -mud program to gs. If determined orate, frac,
6-1/4" his action is subject to occourant review pursuant to Plan to dril then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coal coal footon and coal footon	e and set 12 hole to to rmation. Pl 10.5#, J-55 omplete well	0' of 7" OD, stal depth wi an to run IE casing, sele	20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing; —mud program to gs. If determined orate, frac,
6-1/4" his action is subject to occourant review pursuant to plan to drill then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coal coal footon and coal footon	e and set 12 hole to to rmation. Pl 10.5#, J-55 omplete well	0' of 7" OD, stal depth wi an to run IE casing, sele	20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing; —mud program to gs. If determined  orate, frac,
6-1/4" his action is subject to occourant review pursuant to plan to drill then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coal coal footon and coal footon	e and set 12 hole to to rmation. Pl 10.5#, J-55 omplete well	0' of 7" OD, stal depth wi an to run IE casing, sele	20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing;  -mud program to gs. If determined orate, frac,
his action is subject to conductal review pursuant to plan to drill then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coards and c	e and set 12 hole to to rmation. Pl 10.5#, J-55 omplete well	0' of 7" OD, stal depth wi an to run IE casing, sele	20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing; —mud program to gs. If determined  orate, frac,
his action is subject to occourant review pursuant to plan to drill then plan to test the Fru productive, clean out af	o technical and uant to 43 CFR 3186.4.  1 a 9-7/8" holdrill a 6-1/4 itland Coal fowill run 4½", ter frac and coards and c	e and set 12 hole to to rmation. Pl 10.5#, J-55 omplete well	0' of 7" OD, stal depth wi an to run IE casing, sele	20#, J-55 s th gel-water S and CDL lo ctively perf	O COMPLIANCE WITH ATTACHE REQUIREMENTS"  urface casing; —mud program to gs. If determined orate, frac,

\*See Instructions On Reverse Side

بالتوفية يشاعانه الماء

Andrew Community of the Community of the

District I PO Box 1980, Hobbs, NM 88241-1980 District II PO Drawer DD, Artesia, NM 88211-0719

## State of New Mexico Energy, Minerals & Natural Remutees Department

Form C-102 Revised February 21, 1994 Instructions on back

## RECEIVED

Ce ies

Т

District III 1000 Rio Brazos Rd., Azte District IV PO Box 2088, Santa Fe, Ni	c, NM 87410			ro	1005	TION DIVISI ( 2088   87504-2088 	ON REGEST		State 5 Fee	ate District Offi Lease - 4 Copi Lease - 3 Copi ENDED REPOR	
		LL LO	CATIO	N AND.	ΛCI	REAGE DEDI	CATION PI	AT	Ä		
30-045-79637 71629 Rasin Fruitla						Hille					
Property Code							asin Fruitl	in Fruitland Coal			
1 ' '	012204								* Well Number		
'OGRID No.									ļ	91 * Élevation	
006515 Dugan Production Corporation							67051	Estimated			
						Location			0,03	Lacimated	
UL or lot no. Section	Township	Range	Lot Idn	Feet from t			Feet from the	East/West line		County	
5 20	24N	8W	В	990		North	1850	East		San Juan	
		11 Bott	om Hol	e Locatio	n II	Different Fro	om Surface			1	
UL or lot no. Section	Township	Range	Lot 1dn	Feet from t	he	North/South line	Feet from the	East/West	line	County	
	<u> </u>										
12 Dedicated Acres 13 Joint	or Infill 14 Con	nsolidation	Code 15 ()	rder No.							
NO ALLOWARIE	WILL DE AC	CICNET	) TO TH	C COMPL		NAL ETATION AND AND AND AND AND AND AND AND AND AN					
NO ALLOWABLE	OR A NO	ON-STA	NDARD	S COMPLI UNIT HAS	B BE	EN APPROVED	NTERESTS H. BY THE DIVI	AVE BEE SION	EN CON	ISOLIDATED .	
		ection	Dugan NM 83	990' Prod.		—— 1850' —— (	Signature Sherman Printed Name Vice-Pr Title June 16 Date  18 SURVI I hereby certify was plotted from or under my su correct to the b	TE. Du resident of my bell the well my field notes pervision, and est of my bell 14, 1998	EERTI location of actual differential the lief.	9 SCO 9	

Existing Roads	EXMIDIT E	Planned Access Road	(s) : Exhibit E
Vicinity of nearest town or 4 miles southwest of Nageezi	reference pt. Trading Post		aximum grades 1% as required as required
Type of surface dirt	· .	Surfacing material	none
Conditions good		Culverts Escates	Waterbars
Other	•	Cattleguards Fence cuts	Access Road &
Reference map: USGS map Crow 36107-C6-TF-024 Prov. Edition		•	o not cross Fed/Ind land.
Dugan Production Corp Supa	i Point #91		
600 HOW			OH. Crow
	6681		
	Wash	Pri67/3	
690			
			SAND
6779		7020	
227			