For (1	orm 9-351 a (Feb. 1951)					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	New	Mexico
Lease No	01.80	4-A
Unit	Fede	ral

NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDRILL OR REPAR WELL. SUBSEQUENT REPORT OF ARENDOMENT. SUBSEQUENT REPORT OF ARENDOMENT. SUBSEQUENT REPORT OF ARENDOMENT. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPARM ULL. SUBSEQUENT REPORT OF REDRILLING OR REPARM. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPARM. SUBSEQUENT REPORT OF REDRILLING OR REPARM. SUBSEQUENT REPORT OF REDRILLING OR REPARM. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF REDRILLING OR REPARM. SUBSEQUENT REPORT OF REDRILLING OR REPARM. SUBSEQUENT REPORT OF REDRILLING OR REPARM. SUBSEQUENT REPORT OF REDRILLING CASING. SUBSEQUENT REPORT OF RADROMET. SUBSEQUENT REPORT OF REDRILLING CASING. SUBSEQUENT REPORT OF REPORT OF REPORT. SUBSEQUENT REPORT OF	NOTICE OF	INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
Subsequent report of redeficition or repair well. NOTICE of INTENTION TO SECRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACITE ASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF IN	NOTICE OF	INTENTION TO CHANGE PLANS	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Water Frac. N. N. P. M. (No. 32-E. is located 890. ft. from Notice, OR OTHER DATA) July 2 ,19.59 Wildcat Pictured Cliffs Rio Arriba New Mexico (Picid) (County or Subdivision) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is T529 ft. Death and appeted depths to objective sander short stear, weights, and longths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and superted depths to objective sander short stear, weights, and longths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and superted depths to objective sander short stear, weights, and longths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and superted depths to objective sander short stear, weights, and longths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and superted depths to objective sander short stear, weights, and longths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and superted depths to objective sander short stear. 3994-98; 3904-08; 3928-40; w/32,800 gallons water and 35,000 sand. BD pr. 1800#; 1.18. 33 BIM. Flush Box. pr. 2000#, avg. tr. pr. 600-1100; 1600#. I.R. 33 BIM. Flush 1000 gallons. 1% Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. I value termination of work must receive approval in writing by the Geological Survey before of CALL. CONNOC CO	NOTICE OF	INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO PULL OR ALTER CASING. Water Frac. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) July 2	NOTICE OF	INTENTION TO RE-DRILL OR REPAIR WEL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) July 2 , 19 59 Well No. 32-E is located 90 ft. from N line and 1650 ft. from W line of sec. 32 W N.M.P.M. W line of sec. 32 W N.M.P.M. W Mexico Wildcat Pictured Cliffs Rio Arriba New Mexico Beta names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) Beta names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) 26-59 Total Depth 3967'. COTD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; w/32,800 gallons water and 35,000 sand. BD pr. 1800*, max. pr. 2000*, avg. tr. pr. 800-1100; 1600*. I.R. 33 BPM. Flush 4000 gallons. 1\$ Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. I understand that this plan of work must receive approval in writing by the Geological Survey before on the Cook, Definition of the Co			SUBSEQUENT REPORT OF ABANDONMENT 1 S. GENTUATURE DU
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) July 2 , 19.59 July 2 , 19.59 Sec. 32			
Vell No. 32-E. is located 90. ft. from No. 10 ine and 1650. ft. from William ine of sec. 32. (K. Sec. 32. (K. Sec. and Sec. No.) (Typ.) (Range) (Margina) (Country or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is 7529 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; w/22,300 gallons water and 35,000 sand. BD pr. 1800	NOTICE OF	INTENTION TO ABANDON WELL	HSUST FIRE
Well No. 32=E is located@90 ft. from No. 12 ine and 1650 ft. from Williams in and 1650 ft. from Williams in a second of the derick floor above sea level is 7529 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sines, veliphea, and langths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3		(INDICATE ABOVE BY C	HECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
Wildcat Pictured Cliffs Rio Arriba New Mexico T529 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 26-59 Total Depth 3967'. COTD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; w/32,800 gallons water and 35,000# sand. BD pr. 1800#, w/32,800 gallons water and 35,000# sand. BD pr. 1800#, max. pr. 2000#, avg. tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush 1000 gallons. 1# Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. REFIVED Understand that this plan of work must receive approval in writing by the Geological Survey before on Collection Collecti			July 2 , 1959
Wildcat Pictured Cliffs Rio Arriba New Mexico T529 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 26-59 Total Depth 3967'. COTD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; w/32,800 gallons water and 35,000# sand. BD pr. 1800#, w/32,800 gallons water and 35,000# sand. BD pr. 1800#, max. pr. 2000#, avg. tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush 1000 gallons. 1# Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. REFIVED Understand that this plan of work must receive approval in writing by the Geological Survey before on Collection Collecti	77.11 NJ.	ao ≅ is locatedΩQO	ft. from $\{N\}$ line and 1650 ft. from $\{W\}$ line of sec. 32
Wildcat Pictured Cliffs Rio Arriba New Mexico (Field) (County or Subdivision) (State or Territory) (State or			W)
Wildcat Pictured Cliffs Rio Arriba New Mexico (County or Subdivision) (State or Territory) (State or Territ	M Sec	32 26M	(Range) (Meridian)
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weighte, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work) 26-59 Total Depth 3967'. COFD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Pictured Pictured Pictured Pictured Pictured Pictured Pictured Pictured	UA T Am		
DETAILS OF WORK Tata names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work) 26-59 Total Depth 3967. COTD 3946. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; w/32,800 gallons water and 35,000# sand. BD pr. 1800#, w/32,800 gallons vater and 35,000# sand. BD pr. 1800#, max. pr. 2000#, svg. tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush 4000 gallons. 1# Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. Understand that this plan of work must receive approval in writing by the Geological Survey before on the CONGO ONE. Paso Natural Gas Company	a 1		ve sea level is 7529 ft.
State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comesting points, and all other important proposed work) 26-59 Total Depth 3967°. COTD 3946°. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; W/32,800 gallons water and 35,000# sand. BD pr. 1800#, max. pr. 2000#, avg. tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush 4000 gallons. 1\$ Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. Company El Paso Natural Gas Company ORIGINAL SIGNED H.E. McANALLY Parmington, New Mexico By	he eleva	ition of the derrick noor above	Ve Sea level is
Total Depth 3967'. COTD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; W/32,800 gallons water and 35,000# sand. BD pr. 1800#, max. pr. 2000#, avg. tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush 4000 gallons. 1% Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. Inderstand that this plan of work must receive approval in writing by the Geological Survey before on Colds. CONCOMMENT. Company Dist. 3			DETAILS OF WORK
Total Depth 3967'. COTD 3946'. Water fractured Pictured Cliffs perf. int. 3894-98; 3904-08; 3928-40; W/32,800 gallons water and 35,000# sand. BD pr. 1800#, max. pr. 2000#, avg. tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush 4000 gallons. 1% Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. Inderstand that this plan of work must receive approval in writing by the Geological Survey before on Colds. CONCOMMENT. Company Dist. 3	Pa.a		to the comments
Water fractured Pictured Cliffs perf. Int. Series and 35,000 sand. BD pr. 1800 y 1.8. 33 BPM. Flush max. pr. 2000 y, avg. tr. pr. 800-1100; 1600 y. I.R. 33 BPM. Flush 1000 gallons. 15 Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. I understand that this plan of work must receive approval in writing by the Geological Survey before or will contain the Contained		. of and expected depths to opjective serio	ids; show sizes, weights, and lengths of proposed casings; indicate medding jobs, contents
Water fractured Pictured Cliffs perf. Int. Series and 35,000 sand. BD pr. 1800 y 1.8. 33 BPM. Flush max. pr. 2000 y, avg. tr. pr. 800-1100; 1600 y. I.R. 33 BPM. Flush 1000 gallons. 15 Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. I understand that this plan of work must receive approval in writing by the Geological Survey before or will contain the Contained	51410	s of and expected depths to objective same ing poin	nds; show sizes, weights, and lengths of proposed casings; indicate meaning ,oss, entering ,oss,
W/32,800 gallons water and 35,000 saind. In Max. pr. 2000, avg. tr. pr. 800-1100; 1600. I.R. 33 BPM. Flush 4000 gallons. 1% Caclium Chloride in frac water. 200 gal. MCA Ahead of frac. Dropped 1 set of 20 balls & 1 sets of 10 balls. I understand that this plan of work must receive approval in writing by the Geological Survey before on China COM, COM, COM, COM, COM, COM, COM, COM,			
I understand that this plan of work must receive approval in writing by the Geological Survey before on Address El Paso Natural Gas Company ORIGINAL SIGNED H.E. McANALLY Farmington, New Mexico By Mexico ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. CO	ord 3946'.
of frac. Dropped 1 set of 20 balls & 1 sets of 10 scales. RECEIVED 1959 1 understand that this plan of work must receive approval in writing by the Geological Survey before of Cities COAI,		Total Depth 3967. CO Water fractured Pictur	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40;
I understand that this plan of work must receive approval in writing by the Geological Survey before on Alla CONCOGNEL. Company El Paso Natural Gas Company ORIGINAL SIGNED H.E. McANALLY Farmington, New Mexico By		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#,
Company El Paso Natural Gas Company Address Box 997 Parmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY		Total Depth 3967'. Co Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush Live Chloride in frac water. 200 gal. MCA Ahead
Company El Paso Natural Gas Company Address Box 997 Farmington, New Mexico By ORIGINAL SIGNED H.E. McANALLY	26- 59	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 15 Cacl of frac. Dropped 1 se	red Cliffs perf. int. 3894-98; 3904-08; 3928-40; red Cliffs perf. int. 3894-98; 3904-08; 3928-40; red 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush lium Chloride in frac water. 200 gal. MCA Ahead et of 20 balls & 1 sets of 10 balls. RECEIVED
Farmington, New Mexico ORIGINAL SIGNED H.E. McANALLY By	26- 59	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 15 Cacl of frac. Dropped 1 se	off 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush lium Chloride in frac water. 200 gal. MCA Ahead et of 20 balls & 1 sets of 10 balls. RECEVED 1959
Farmington, New Mexico By	26=59	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 1% Cacl of frac. Dropped 1 se	red Cliffs perf. int. 3894-98; 3904-08; 3928-40; red Cliffs perf. int. 3894-98; 390
Farmington, New Mexico By	1 under Compan	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 1% Cacl of frac. Dropped 1 se	off 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BPM. Flush lium Chloride in frac water. 200 gal. MCA Ahead et of 20 balls & 1 sets of 10 balls. RECEVED Approval in writing by the Geological Survey before openful. CONtrological Survey DIST. 3
T'. 1 Determiner	1 under Compan	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 1% Cacl of frac. Dropped 1 se	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush lium Chloride in frac water. 200 gal. MCA Ahead et of 20 balls & 1 sets of 10 balls. RECEIVED Paperoval in writing by the Geological Survey before opening the CONTO OF MALLY ORIGINAL SIGNED H.E. McANALLY
	1 under Compan	Total Depth 3967. CO Water fractured Pictur w/32,800 gallons water max. pr. 2000#, avg. t 4000 gallons. 1% Cacl of frac. Dropped 1 se	ord 3946'. red Cliffs perf. int. 3894-98; 3904-08; 3928-40; r and 35,000# sand. BD pr. 1800#, tr. pr. 800-1100; 1600#. I.R. 33 BFM. Flush lium Chloride in frac water. 200 gal. MCA Ahead et of 20 balls & 1 sets of 10 balls. RECEIVED Paperoval in writing by the Geological Survey before opening the CONTO OF MALLY ORIGINAL SIGNED H.E. McANALLY