


COPY TO O. C. C.

STATE OF NEW MEXICO  
**OIL CONSERVATION COMMISSION**  
 DISTRICT NO. 3  
 Phone 99 P. O. Box 697  
 AZTEC, NEW MEXICO



Rev. **Wadbee**  
 Land Office **079266**  
 Lease **Sec. 26, T26N., R6W.**  
 Unit

### SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 20, 1932

19

Well No. **1 Vaughn** is located **1670** ft. from **N** line and **990** ft. from **E** line of sec. **26**  
**S** **W**  
**SE 1/4 Section 26** **26 North** **6 West** **N.M.P.M.**  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
**Pettigrew** **Mc Arriba County** **New Mexico**  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

To be Furnished

#### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The objective sand is the **Pictured Cliffs**. It is expected about 3060 feet. The casing program is as follows:

- 200' of 3-1/2" O.D. casing cemented to surface
- 3060' of 2 1/2" O.D. casing cemented with 50 sacks.

Well will be drilled with rotary tools to the top of the Pictured Cliffs sands and at this point 2 1/2" casing will be set. The pay zone will be drilled with cable tools to total depth of approximately 3230'.

The well will be shot with nitro glycerine from 3100' to total depth.

A 1" siphon line will be installed to total depth.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **Wofford Cain, an individual**

Address **c/o Van Thompson**  
**1009 Burt Building**  
**Dallas, Texas**

**Wofford Cain**  
 By **Van Thompson**  
**Van Thompson**  
 Title **Agent**

Land Office  
 Lease No.  
 Unit

DEPARTMENT OF THE INTERIOR  
 GEOLOGICAL SURVEY  
 UNITED STATES  
 (REPLICATED)



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

\_\_\_\_\_ is located \_\_\_\_\_ ft. from \_\_\_\_\_ line and \_\_\_\_\_ ft. from \_\_\_\_\_ line of sec. \_\_\_\_\_  
 (Township) (Range) (Meridian)  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands, shales, etc., and lengths of proposed casing; indicate mudding jobs, cementing points, and all other important proposed work)

The well is to be drilled to a depth of \_\_\_\_\_ feet below the surface of the ground. The casing is to be run to a depth of \_\_\_\_\_ feet below the surface of the ground. The well is to be completed with \_\_\_\_\_.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


By \_\_\_\_\_ Title \_\_\_\_\_  
 Address \_\_\_\_\_  
 Company \_\_\_\_\_

Company Wofford Cain

Lease Wagon Well No. 3

Sec. 26 T. 26 N R. 6 W N.M.P.M.

Location 1650' from the North line and 990' from the East line.



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*Charles J. Finkler*

Seal:

Registered Professional  
Engineer and Land Surveyor.

Charles J. Finkler  
N. Mex. Reg. No. 1302

Surveyed 6 October, 19 52