

(SUBMIT IN TRIPLICATE)

Indian Agency Winifred

**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY**

Allottee Waverille Tribal

Lease No. **Contract 110**

			2

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Sustained

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 19th, 1957

Well No. 7-J is located 990 ft. from

N
S

 line and 990 ft. from

E
W

 line of sec. 20

22/4 NE/4 Sec. 20 **26N** **5W** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

S. Blanco PG Ext. **Rio Arriba** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 650 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

6-26-57 TD 3023'. Cleaned out to 2975'. Perforated 2894-2914' and 2930-2958' with 4 holes per foot. Sandfraced with 27,000 gallons water and 30,000# sand. Flushed with 3,000 gallons water. Breakdown pressure 3000#, treating pressure 1500-1650#, average injection rate 59 BPM. Dumped 100 rubber balls during treatment.

After 15 hours flying 1,997 NEV/day.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **EL PASO NATURAL GAS COMPANY**

Address Box 997

Hamlington, New Mexico

By [Signature]
Title Senior Petroleum Engineer

