

(SUBMIT IN TRIPLICATE)

Indian Agency San Carlos

Contract #72

Allottee _____

Lease No. San Carlos #1

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	NOV 21 1960
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	U. S. GEOLOGICAL SURVEY
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	FARMINGTON, NEW MEXICO
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

ILLEGIBLE

November, 19 60

Well No. 2 is located 990 ft. from N line and 1190 ft. from E line of sec. 19
NE 1/4 Section 19 24N 3W 1190 & E
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Merdian)
Tap. Plat. Cliffs/Blanco NV Blanco Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 7000 ft. (Est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

1. Killed well with water.
2. Set bridge plug @ 3900, perforated 5 1/2" cas. w/4 holes @ 3890'. Squeezed perfs. @ 3890' with 100 sac + 65 gal.
3. Run 8" Temp. Survey - top of cement @ 3500'. Pressure tested perfs. to 1000 psi, pressure bleed off @ 100 psi/min. rate. Run cement retainer to 3500' - unable to break down formation @ 4500 psi.
4. Run stringer and cut notch @ 3730'.
5. Sand/water frac'd thru 1 notch @ 3730' with 30,000 gals. water and 30,000 # of 20-30 sand.
6. Run 2" tbg. and flowed Plat. Cliffs to clean up.
7. Killed well w/water and drilled out bridge plug at 3900'.
8. Run 2" tbg. to 3910' w/packer at 3910' (NV) and 2" tbg. to 3720' (FC) and completed well fully in Blanco Mesa Verde and Inosito Pictured Cliffs.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company MOORE MINERAL OIL COMPANY, INC.

Address Box 1371

Durango, Colorado

By E.M. BART

Title Dist. Prod. Supt.

RECEIVED
JAN 25 1960
COMM. MOD. INC.
E. TEL