NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

64 94 file 7-3-58

APPLICATION FOR DUAL COMPLETION

Field Name Blanco	County Rio Arriba		October 14, 1958	
Operator		Lease	Well No.	
Magnolia Petroleum Co		Chency Federal.	#2	
Location Unit of Well	Section	Township	Range	
	17	26N		
zones within one mile of the sub		S NO	ompletion of a well in these same pools or in the same	
2. If answer is yes, identify one se	ch instance: Or	56 (56	ator, Lease, and Well No.:	
3. The following facts are submitte	l:	Upper Zone	Lower Zone	
a. Name of reservoir	Pfoton	red Cliffs	Mesaverde	
b. Top and Bottom of		red Office	reseverue	
Pay Section	37781		5548° 60 26 °	
(Perforations)	38051			
c. Type of production (Oil or Ga	s) Gas.		Gas	
d. Method of Production	Terror	rary Abandon	Flowing	
(Flowing or Artificial Lift) The following are attached. (Ple			LIONIE	
thereon. (If such log is List all offset operators to the le	not available a ase on which th	n." eptable log with tops and bottoms o t the time application is filed, it sh is well is located together with thei	Sell in	
			KLULITED	
			DECTOR COM.	
			OIL CON COM.	
		:	The second section of	
of such notificationOctob	above notified	and furnished a copy of this applica	ation? YES NO If answer is yes, give date	
CERTIFICATE: I, the undersign	ed, state that I a	am the District Superinte at I am authorized by said company	to make this report; and that this report was prepared	
nder my supervision and direction ar	d that the facts	stated therein are true, correct and	d complete to the best of my knowledge.	
		/ 4	Syoung Ja - (Signature	
Should waivers from all offen	t onetatore not	accompany on application for 1 '	(Fignisture	
Commission will hold the app	lication for a pe	eriod of twenty (20) days from date of	istrative approval, the New Mexico Oil Conservation of receipt by the Commission's Santa Fe office. If,	

after said twenty-day period no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed dual completion will result in an unorthodox well location and/or a non-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

PACKER_SETTING AFFIDAVIT (Dual Completions)

STATE OF NEW MEXICO	 (
County of SAN JUAN)ss)		
G. W. Welker oath deposes and says	, being fi	irst duly sworn accordin	g to law, upon his
That he is set out.	of lawful age and has	s full knowledge of the	facts herein below
That he is	employed by homeli	Petrologn Company	in the capacity
of Production Foresen	and as suc	h is its authorized age	nt.
That on	July 30 , 19 <u>58</u> ,	he personally supervise	d the setting of
a Beker Model *D* (Make and Type	of Packer)	Magnolia Petroleum Com (Operator)	pany ¹s
Cheney Pederal		Well No2	loopted in Unit
(lease)		ip, Range	
		ip, kange	, NMPM,
Rio Arriba Coun	·		
That said p	acker was set at a su	bsurface depth of55	feet,
said depth measuremen	t having been furnish	ed by Perforeting Guns At	lles Corporation
prevent the commingli- below the packer with packer was properly seal off the annular	ng, within the well-be fluids produced from et and that it did, which space between the two	packer was to effect a ipe where the packer was ore, of fluids produced a stratum above the packer set, effectively and strings of pipe where itent of fluids across the	s set so as to from a stratum cker. That this dassolutely
		Magnolia Petroleum (le nouny
		(Company)	
		Milalk	
Subscribed and sworn to	to before me this the_		t) G. W. Welker Aug, AD, Or the County
My Commission Expires_	3-7-62	of Jan	CANTED OUT OF THE PARTY OF THE

MACHULIA PETROLIUM CONFANT

CHEMEN PORMAL IELL NO. 2 BLANCO MEDAYERE & UND. PICTURED CLIPPS RIO AMELBA COUNTI, HEN MELLIOD

ELEVATION - 7304 Ground Lovel

37kh' - Top of Pictured Gliffs 380h' - Botton 2" Tubing M

30k! - Sottem 10-3/k" Cago Set W/225 Sacks Coment

2750' - Top of Coment

3366' - Top of Oje Alemo

3560' - Top of Kirtland Fruitland

3826' - Top of Lends

3843' - Top of 5" Liner & Top of Cement

hold' - Bottom 7-5/8" Ceg. Set W/130 Sacks Coment

5512' - Baker Medal "D" Production Packer

5548' - Top of Chiffhouse

5599' - Top of Hemofoe

Perfereted 5" laner

Perforated 7-5/8" Cor. W/2 Shote Per Foot

3776 - 6 3788 - 3805

W/2 Shote Per Foot

5548 - 64

5572 - 3

5919 - 37

5988 - 99

6018 - 26

5919' - Top of Point Lookout 5986 - Bottom of 2" Tobing

001**6** 1958 OIL CON. COM. DIST. 3

6052' - Plugged Back Total Tepth 6059' - Top of Mannes

6085' - Total Derth - Bottom 5" Liner Set W/225 Sanks Coment