

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SEEK IT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 42-71421
U. S. DEPARTMENT OF THE INTERIOR AND BUREAU OF LAND MANAGEMENT
Contract # 97
U. S. DEPARTMENT OF THE INTERIOR AND BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR
Mobil Oil Corporation

3. ADDRESS OF OPERATOR
Box 433, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

5. FARM OR LEASE NAME
Acquilla Co

6. WELL NO.

7. UNIT CEMENT TYPE

8. FIELD AND POOL, OR WILDCAT
Texas Eastern Cliff

9. SEC., T., R., S., OR BEX. AND
SECTION OR AREA

10. PLUG NO. *990FWL, + 990FSH, Sec. 9, T-26-N, R-3-W*

11. PLUG NO. IS ELEVATIONS (SHOW whether DF, LT, CR, etc.)
6226 Co

12. COUNTY OR PARISH, STATE
Rio Arriba New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PUMP OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input checked="" type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

To Plug & Abandon as Per attached Procedures.



18. I hereby certify that the foregoing is true and correct

SIGNED *J. McDaniel* TITLE *Authorized Agent* DATE *9-14-71*

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

MIDLAND E & P DIVISION

WELL WORK RECOMMENDATIONS

Proposals for Well Reconditioning and Subsurface Maintenance
Workovers, Expense DD's, PE's, and Conversions


Lease: Jicarilla "C" Well No. 1
Field: Tapacito Pictured Cliffs (Gas) Pool
County: Rio Arriba State: New Mexico

RECOMMENDED PROCEDURE:

1. Place cement plug across
5 1/2" casing seat at 3590'
and up to approximately 3500'
(20 sx)
2. Circulate hole to mod laden
fluid
3. Place cement plug (150' - 3215' - 3115')
across top of Ojo Alamo water
sand at 3190' (20 sx)
- * 4. Determine Free points of 5 1/2" - 15.5"
casing, cut and pull. Estimated
Free points at 340', cement top.
- * 5. Place cement plug (125' - 400' - 225')
across open shallow water sands
and 5 1/2" stub and 8 5/8" seat (50 sx)
6. Place cement plug at surface
(15 sx)
7. Erect pipe measurement and clean
the location.
- * If unable to pull 5 1/2" - pump cmt. down 5 1/2" - 8 5/8" annulus.
No equipment, except tubing and
wellhead for salvage.

JCG/7-27-71
JCG

P. 4 A
 Sicarilla "C" #1
 Tapacito Pictured Cliffs
 Unit M, Sec. 7, 26 N, 3 W
 Rio Arriba Co., New Mexico



- Cement Plugs at
1. 5 1/2" casing seat
 2. Ojo Alamo Top
 - * 3. Surface sands below 8 5/8" and across stubs
 4. Surface

* Cement across open sands through annulus if unable to cut 5 1/2"

JCG/7-22-71