


5-USGS  
2-Compass  
1-File

(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4.  
Approval expires 12-31-60.



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 079161  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 30, 1961

Federal-Lindrith

Well No. 1-10 is located 1650 ft. from [N] line and 820 ft. from [E] line of sec. 10

SE NW Section 10  
(¼ Sec. and Sec. No.)

26N  
(Twp.)

7W  
(Range)

10PM  
(Meridian)

Basin-Dakota  
(Field)

Rio Arriba  
(County or Subdivision)

New Mexico  
(State or Territory)

Ground Level

The elevation of the ~~1650~~ above sea level is 6668 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Compass Exploration, Inc. proposes to drill a well to test the oil and/or gas possibilities through the Dakota formation, attaining a total depth of approximately 7450'.

Procedure to be followed:

1. Drill a surface 10-3/4" hole to approximately 200'.
2. Set and cement with sufficient cement to circulate approximately 200' of 9-5/8" surface pipe.
3. Drill an 8-3/4" hole to total depth.
4. If production is encountered, run a combination string of 5-1/2", J-55, ST&C, 15.5# and 17# production casing to total depth.
5. Set in production string a two-stage cementing tool. Cement first stage with sufficient cement to cover the Mesa Verde formation, and cement second

(over)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Compass Exploration, Inc.

Address 101 University Blvd.

Denver 6, Colorado

By

P.J. Farrelly

Title

Chief Geologist

- stage with sufficient cement to cover the Pictured Cliffs formation.
6. If Gallup and Dakota production both encountered, well will be dually completed following laws prescribed by the USGS and State of New Mexico.

## NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

## Section A.

Date AUG. 30, 1961

Operator COMPASS EXPLORATION, INC. Lease Federal- Lindrith  
 Well No. 1-10 Unit Letter N Section 10 Township 24 NORTH Range 7 WEST, NMPM  
 Located 1650 Feet From the NORTH Line, 820 Feet From the EAST Line  
 County RIO ARriba G. L. Elevation 6648.0 Dedicated Acreage 320 Acres  
 Name of Producing Formation Dakota- Gallup Dual Pool 195117 - 195103

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below?  
 Yes ☒ No ☐
2. If the answer to question one is "no", have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes ☐ No ☐. If answer is "yes", Type of Consolidation.
3. If the answer to question two is "no", list all the owners and their respective interests below:

OwnerLand Description

RECEIVED

RECEIVED

SEP 5 1961

SEP 5 1961

OIL CON. COM.  
DIST. 3

OIL CONSERVATION SURVEY

## Section B.

Note: All distances must be from outer boundaries of section.

This is to certify that the information  
 in Section A above is true and complete  
 to the best of my knowledge and belief.

Compass Exploration, Inc.

(Operator)

P. J. Farrelly


(Representative)

P. J. Farrelly

(Address)

101 University Blvd.Denver 6, Colorado

Ref: GLO plat dated 13 March 1955



0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0

Scale 4 inches equal 1 mile

This is to certify that the above plat was prepared from field notes of actual surveys  
 made by me or under my supervision and that the same are true and correct to the best  
 of my and belief.

Date Surveyed 25 August 1961

James P. Leese  
 Registered Professional Engineer and/or Land Surveyor  
 James P. Leese N. Mex. Reg. No. 1463

