





[illegible]



MECHANICAL PROPERTIES OF
W-7-8 DUNE COMPRESSION
10-1-56 - ALL TUBES FLOW







FIRST DAY

NOON
6 P.M.
12 NIGHT

A.M.

SECOND
NOON

6

6

P.M.

12 NIGHT

A.M.

6

THIRD

NOON

6

P.M.

12 NIGHT

A.M.

FOURTH
NOON

6

P.M.


12 NIGHT


A.M.

6

NOON

FIFTH





FIRST DAY

SECOND

THIRD

FOURTH

FIFTH

SIXTH

SEVENTH

EIGHTH

AMERICAN WESTCOTT ORIFICE METER
CHART NO. M1500-H-8D-4
DISC NO.

CHART PUT ON

M.

19

LOCATION

REMARKS

AMERICAN
METER COMPANY
PRINTED IN U.S.A.

CHART NO.

M1500-H-8D-4

DISC NO.

METER

TAKEN OFF

PC

Copyright, 1908 by

AMERICAN

PRINTED IN U.S.A.

NOON

P.M.

12 NIGHT

A.M.

NOON

P.M.

12 NIGHT

A.M.

NOON

P.M.

12 NIGHT

A.M.

NOON

P.M.

12 NIGHT

A.M.

NOON

P.M.

12 NIGHT

A.M.

6

NOON

P.M.

12 NIGHT

A.M.

NOON

6

P.M.

12 NIGHT

A.M.

6

Northwestern Prod. Co.
"N" 7-8

9-17-56

Dust Completion
Casing flow (Partial Chuffs)

Begin: T-1131, C-1063

End: T-1134, C-429, temp. 65°

M.B. Richardson
Pacific Northwest Petroleum Corp.

Note: Not possible to calibrate blue
pen arm because of slack in
linkage.

24 hour chart