

Lowry et al Operating Account

616 East Central Avenue

Albuquerque, New Mexico

February 14, 1952



1-134
20-6
10

Mr. Al Greer
New Mexico Oil Conservation Commission
Aztec, New Mexico

Dear Mr. Greer:

In compliance with your letter of January 28, 1952, please find enclosed a copy of notice of intention to drill and also copies of Well Log.

As you know, we are now in the process of plugging this well back and you will receive supplementary well history on this well in the near future.

Very truly yours,

Lowry et al Operating Account

Earl E. McGill
Office Manager

EEM:mb

Enc.

C O P Y

Land Office Santa FeLease No. 079035Unit None

COPY FOR
STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED

FEB 16 1952

OIL CON. COM.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	DIST. 3
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

February, 1950

Well No. 1 is located 660 ft. from N line and 1980 ft. from W line of sec. 10

NW/4

(1/4 Sec. and Sec. No.)

26N

(Twp.)

6W

(Range)

NMPM

(Meridian)

Wildcat

(Field)

Rio Arriba

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is ft. Will be supplied.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work)

This will be a Dakota Test.

300' 13 3/8" Seamless Casing will be set and cemented to the surface.

Pictured Cliff Sand will be cored and if porous, drill stem tested.

Mesa Verde will be drill stem tested, if it is porous. Top Dakota

will be cored and tested. Dakota Top is expected at approximately

7600'. If productive 7" OD 26# Seamless Casing will be set through the entire section.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company.....

Address Thomas W. Doswell719 First National Bank Bldg.Dallas, TexasBy /s/ Thomas W. DoswellTitle Operator