Form 3160-5 (June 1990)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

RECEIVED

FORM APPROVED							
Budget Bureau No. 1004-013							
Expires: 1	March 31,	1993					

(Note: Report results of multiple completion on Well Completion or Recognition Report and Log form.)

_			-		
5.	Lease	Designation	and	Serial	No

6. If Indian, Allottee or Tribe Name

SUNDRY	NOTICES	AND	REPORTS	ON	WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Jic <u>Cont 119</u>

Use "APPLICATION FOR	PERMIT - " for such	prop <b>99,APR</b> 16	PM 1: 24	Jica	arilla Apache	
SUBMIT	IN TRIPLICATE	010 ALBUQU	ERQUE. N.M.	7. 1	f Unit or CA, Agreement Des	signation
1. Type of Well Oil X Gas Well Other  2. Name of Operator ENERGEN RESOURCES CORPORATION		DECER	VED 9 1999	Jica	Vell Name and No. Brilla 119N 5	
2 Address and Talantana No.			9. API Well No. 30-039-06682 10. Field and Pool, or exploratory Area Tapacito PC/Blanco MV			
					County or Parish, State Arriba	IM
12. CHECK APPROPRIATE BOX(s	) TO INDICATE N	ATURE OF NOTIC	E, REPORT, O	OR O	THER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent  Subsequent Report  Final Abandonment Notice		Abandonment tecompletion lugging Back lasing Repair Ultering Casing			Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection	
	l IXI a	wher Downhole	Commingle		Por mr.	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

It is intended to downhole commingle this well as follows:

- 1. MIRU. TOH and lay down PC tubing string.
- 2. Release packer and TOH.
- 3. TIH and cleanout to 6140'.
- 4. Land 2 3/8" tubing at 6100'. Install single wellhead.

14. I hereby certify that the for Title Production Superintendent Signed (This space for F) Lands and Mineral Resources Approved by Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Jicarilla 119 N #5
Unit L, Section 6, T 26 N, R 4 W
Rio Arriba Co., N.M.

Subject: Economic Justification To Downhole Commingle

Current Oil Price -- \$14.00 Current Gas Price -- \$1.20 Net less gathering & processing

The Blanco Mesa Verde side of this dual completion has extreme liquid loading problems. Operationally, the well requires unloading every week to keep the well producing at its average rate. Commingling will allow the installation of a plunger system to stabilize to flowstream.

Current Mesa Verde Rate: 57 MCFD

Projected Mesa Verde Rate: 80 MCFD & 1/2 BO

Current Pictured Cliffs Rate: 117 MCFD Projected Pictured Cliffs Rate: 135 MCFD

Incremental Uplift: 41 MCFD & 1/2 BO

## Increased Revenue Stream

Gas Revenue 41 \* 1.20 \* 30 = \$1476 Oil Revenue 1/2 \* 14.00 \* 30 = \$210 Increased Monthly Revenue \$1686

Increased Royalty \$211 per month

Downhole commingling will eliminate the waste of venting gas to the atmosphere to keep the well unloaded, stabilize the flowstream and extend the life of the well through increased efficiencies.

## CONDITIONS OF APPROVAL FOR DOWNHOLE COMMINGLING

Operator <u>Energen Resources</u>	Well Name	_Jic.	119N	#5	
-----------------------------------	-----------	-------	------	----	--

- 1. The individual production zones will be tested every three years, or more often if production rates indicate a change to allocation factors, to verify that the allocation factors and methods remain proper.
- 2. Production from downhole commingled wells are to be reported with an alpha character, "C" (ie C1, C2, etc).
- 3. The following modifications to your downhole commingling program are to be made:

Submit well bore diagram upon completion of well.