

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
Federal	

## SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT..." (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
El Paso Natural Gas Company		Rincon Unit
3. Address of Operator		9. Well No.
PO Box 990, Farmington, NM 87401		12
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER _____ 1550 FEET FROM THE North LINE AND 990 FEET FROM		So. Blanco Pictured Cliffs
THE West 1 LINE, SECTION 26 TOWNSHIP 7 RANGE 7 NMPM.		
15. Elevation (Show whether DF, RT, GR, etc.)		12. County
6556'GL		Rio Arriba

### Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

### SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is intended to plug and abandon the subject well in the following manner:

Spot a 50 sk. cement plug in the open hole section to fill up inside the 7" casing 170'.  
Spot a 25 sk. cement plug opposite the Ojo Alamo at 2150'.  
Shoot off 7" casing at the free point and spot a 25 sk. cement plug on the casing stub.  
Spot a 15 sk. cement plug at the base of the surface casing.  
Place a 10 sk. cement plug at the surface, install a dry hole marker and clean up location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED A. G. Buices TITLE Drilling Clerk DATE November 1, 1974

APPROVED BY [Signature] TITLE SUPERVISOR DISC. # DATE NOV 1 1974

CONDITIONS OF APPROVAL, IF ANY: