STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION
SUBMIT IN TRIPLICATE TO
DISTRICT OFFICE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land C	office <u>Sonta Po</u>	_
Lease	No. <u>79160</u>	_
Unit	55/4 Sec. 1	
	Minom Unit	
	I Soc. 916	

SUNDRY NOTICES AND REPORTS ON WELLS

TICE OF INTENTION TO DRILL	1 X II
	SUBSEQUENT REPORT OF WATER SHUT-OFF.
TICE OF INTENTION TO CHANGE PLANS	1 1
TICE OF INTENTION TO TEST WATER SHUT-OFF	[
TICE OF INTENTION TO RE-DRILL OR REPAIR WELL	1 1 1 1 1 1 1 1 1 1
TICE OF INTENTION TO SHOOT OR ACIDIZE	
	SUPPLEMENTARY WELL HISTORY
TICE OF INTENTION TO ABANDON WELL	M LT VIDA IS
(INDICATE AROVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA
111010112 NSG12 21 G1120K MMM	•
Rincon No. 12 is located 1550 ft. fr	rom S line and990_ft. from E line of sec
(34 Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
So. Manco-Bordo Garvai Art. 12	do arribe Herrico
(Field) (Count	y or Subdivision) (State or Territory)
e elevation of the derrick floor above sea le	evel is Grand ft. UG
DETA	AILS OF WORK
indicate muddling jobs, cementing p	sands; show sizes, weights, and lengths of proposed casings; points, and all other important proposed work)
	foot. Set 100 feet of 10 3/4 inch
11 13 3/4 inch Botary hole to 110 face casing. Circulate out with	
face casing. Circulate out with	
face casing. Circulate out with 1 11 8 3/h inch hole to 3100° or to h 100 sacks regular cesent.	100 sacks cenent. p of the Pictured Cliff - set 20 , 7 inch
face casing. Circulate out with 1 11 8 3/h inch hole to 3100° or to h 100 sacks regular covert. 11 six inch hole with Cable Tools of open hole, temped, with 300 qu	100 sacks cement. p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet.
face casing. Circulate out with 1 11 8 3/4 inch hole to 3100 or to h 100 sacks regular conent. 11 six inch hole with Cable Tools of open hole, temped, with 300 qu	100 sacks coment. p of the Pictured Cliff - set 20 7 inch from 3100 to 3200 feet.
face casing. Circulate out with 11 8 3/h inch hole to 3100 or to h 100 sacks regular conent. Il six inch hole with Cable Tools of open hole, temped, with 300 qual understand that this plan of work must receive operations may be commenced.	100 sacks cement. p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet.
face casing. Circulate out with 11 8 3/h inch hole to 3100 or to h 100 sacks regular conent. Il six inch hole with Cable Tools of open hole, temped, with 300 qual understand that this plan of work must receive operations may be commenced.	100 sacks cement. p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet.
Tace casing. Circulate out with 11 8 3/h inch hole to 3100 or to th 100 sacks regular carent. Il six inch hole with Cable Tools of open hole, temped, with 300 qual understand that this plan of work must rece operations may be commenced.	100 sacks cement. p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet.
face casing. Circulate out with 11 8 3/h inch hole to 3100 or to h 100 sacks regular canent. 11 six inch hole with Cable Tools of open hole, tamped, with 300 qual understand that this plan of work must received.	p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet. errts Mitro Gel. eive approval in writing by the Geological Survey before
face casing. Circulate out with 11 8 3/h inch hole to 3100 or to h 100 sacks regular eccent. Il six inch hole with Cable Tools of open hole, temped, with 300 qual understand that this plan of work must receive operations may be commenced.	p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet. errts Mitro Gel. eive approval in writing by the Geological Survey before
face casing. Circulate out with 1. 11 8 3/h inch hole to 3100 or to h 100 sacks regular conent. 11 six inch hole with Cable Tools of open hole, temped, with 300 qual understand that this plan of work must receive operations may be commenced.	100 sacks cement. p of the Pictured Cliff - set 20 . 7 inch from 3100 to 3200 feet.

NEW MEXICO

Gas Well Plat

OIL CONSERVATION COMMISSION

	l Gas Company			75
Operator		Lease		Well No.
me of Produc	ing Formation	Picture	CHITE Pool	S. Blanco
Acres Dedic	cated to the W	el <u>l</u> 160		
	vnership Statu	s. (Federal,	State opaten	ted)
SECTION	7	OWNSHIP	26N	_RANGE
				· · · · · · · · · · · · · · · · · · ·
	ļ			
· · · · · · · · · · · · · · · · · · ·		Position		
	ļ			
			s. F. c	79160
		ž.		, ,
······				
		_	n above is tr	ue and complete
the best of r	ny knowledge.		ODICEMAL S	GNED E. N. WALSH
		Name_ Positio	540 T3*O (#1775	Engineer

(over)

No. Copies F	Signal Si	
	NO.	
Operator Santa F.		
Promisen Co.		
State Lawrey State U. S. G. S.		
Transporter		
File		
The state of the s	to the second se	