

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies

Farmington, New Mexico

(Place)

April 21, 1962

(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) (~~Recompletion~~) of a well to be known as

Caulkins Oil Company

(Company or Operator)

State "A"

(Lease)

Well No. MD-62

A

(Unit)

The well is

located 1190 feet from the North line and 1190 feet from the

East

Line of Section 2, T. 26 North, R. 6 West, NMPM.

(GIVE LOCATION FROM SECTION LINE)

Blanco Mesa Verde

Basin Dakota

Pool,

Rio Arriba

County

If State Land the Oil and Gas Lease is No. E. 291-17

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows: Mud drill with rotary equipment

The status of plugging bond is

Drilling Contractor Not yet selected

We intend to complete this well in the Mesa Verde and Dakota

formation at an approximate depth of 7700 feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
15"	10-3/4" OD	32.75	New	250	circulate
15"					
8-3/4"	5-1/2" OD	15.50 to 6700	new		
		17.00 to 7700	New	7700	510 sacks

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

1st stage of cement thru shoe using 100 sks. 12% aquagel cement followed by 100 sks. latex cem.

2nd stage thru stage collar at approximately 5500' using 160 sks. 4% aquagel cement

3rd stage thru tubing outside 5 1/2" at approximately 3300' using 150 sks. common cement

Approved
Except as follows:

4-23-62, 1962

Sincerely yours,

Caulkins Oil Comp. Inc.
(Company or Operator)

By

Position Superintendent

Send Communications regarding well to

Name Frank Gray

Address Box 780, Farmington, New Mexico

OIL CONSERVATION COMMISSION

By

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plot

Date: April 21, 1962

Lease State "A"

Section: 2

Township 26 North

Range East

Line, 1190

Elevation: 5516

Dedicated Acreage: 10.00

Wells: Wells 1 & 2

Pool: Elmer Pool

South Elmer

Is the dedicated acreage outlined on the plot below? Yes Yes

If answer is "No," have the interests of all the owners been consolidated by conveyance? Yes Yes No No If answer is "Yes," Type of Consolidation Joint Interest

If the answer to Question Two is "No," list all the owners and their respective interests below:

OWNER _____

(NAME DESCRIBED)



This is to certify that the information in Section 2 above is true and complete to the best of my knowledge and belief.

Caulkins Oil Company

(NAME)


March 1962
(SIGNATURE)

Box 700, Elmer

This is to certify that the information shown on the plot was plotted from a true survey made by my supervision and is true and correct to the best of my knowledge and belief.

Date Surveyed: April 12, 1962

(NAME AND TITLE OF SURVEYOR)



110

File

3-25-68

CAULKINS OIL COMPANY

WELLS REQUIRING FILE CORRECTION ONLY

LEASE NAME & WELL NUMBER	LOCATION	POOL	PRESENT ACREAGE	CORRECT ACREAGE
Breech E #64	A-1-26N-6W	Blanco MV	E 320	E 320.49✓
Breech E #64	A-1-26N-6W	Basin Dak.	E 320	E 320.49✓
Breech E #118	N-1-26N-6W	Basin Dak.	W 320	W 321.51✓
State A#62	A-2-26N-6W	Blanco MV	N 320	N 323✓
State A#62	A-2-26N-6W	Basin Dak.	N 320	N 323✓
Breech E #58	A-3-26N-6W	Blanco MV	E 320	E 320.75✓
Breech E #58	A-3-26N-6W	Basin Dak.	E 320	E 320.75✓
Breech E #89	L-3-26N-6W	Basin Dak..	W 320	W 320.25✓
Breech E #54	A-4-26N-6W	Basin Dak.	E 320	E 319.97✓
Breech E #50	A-5-26N-6W	Basin Dak.	N 320	N 320.52✓
Breech B #123	B-7-26N-6W	Basin Dak.	N 320	N 321✓
Breech #312	N-18-26N-6W	So. Bl. PC	160	160.71✓