

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Jicarilla
Allottee Contract # 152
Lease No. _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

RECEIVED
JUL 20 1956
U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

Well No. V 2-5 is located 790 ft. from N line and 1650 ft. from W line of sec. 5

NE 1/4 SE 1/4 5 26N 34 S.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Blanco NV Gas Pool Ntn & Rio Arriba
Wildcat (Field) PC (County or Subdivision)

New Mexico
(State or Territory)

The elevation of the ~~derrick~~ ungraded ground floor above sea level is 4929.0 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate clogging jobs, cementing points, and all other important proposed work)

Propose to change location and objective of well. Will drill to approx 110', set 9-5/8" OD casing and cement to surface w/175 ex regular. Drill w/water or minimum and to approx 3300', set 7" OD casing and cement w/150 ex 84 gal and 100 ex neat. Drill with gas to total depth of approx 5530', set 5" OD liner and cement with 125 ex 125 gal & 50 ex neat. Perforate the top of the 5" liner and squeeze cement with 150 ex regular. Perforate the 5" liner and fracture the Cliff House, Manosher & Point Lookout zones separately, each with approx 90,000 gals water. Perforate the 7" casing & fracture the Pictured Cliffs formation with approx 40,000 gals water. Set production packer at approx 4725'. Run tubing with side-door choke set at approx 4475' & complete well to produce the Manosher formation thru the tubing and the Pictured Cliffs formation thru the casing-tubing annulus. For the Manosher formation the N/2 of Section 5, containing 119.70 acres is dedicated to this well. The SE/4 of Sec 5, containing 159.70 acres is dedicated to this well for the Pictured Cliffs formation to be commenced.

Company NORTHEAST PRODUCTION CORPORATION

Address 500 Sioux Building
Albuquerque, New Mexico

By Ray Phillips, Jr.
Ray Phillips, Jr.

Title Asst Mgr, Production Operations

134444

134444



NEW MEXICO
OIL CONSERVATION COMMISSION

Form C-128

Well Location and/or Gas Proration Plat

Date **July 19, 1956**

Operator **NORTHWEST PRODUCTION CORPORATION** Lease **"1"**

Well No. **2-5** Section **5** Township **26 North** Range **5 West** NMPM

Located **990** Feet From **North** Line. **1650** Feet From **East** Line.


Rio Arriba

County, New Mexico.

G. L. Elevation **6493, ungraded.**

Name of Producing Formation **Mesa Verde** ~~Pictured Cliffs~~ Pool **Wildcat** Dedicated Acreage **329.70**
~~159.90~~

(Note: All distances must be from outer boundaries of Section)



NOTE

This section of form is to be used for gas wells only.

SCALE: 1" = 1000'

1. Is this Well a Dual Comp. ? Yes ☒ No ☐
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage?
Yes ☐ No ☒

Name **Ray Phillips, Jr.**
Position **Asst Mgr, Production Operations**
Representing **Northwest Production Corporation**
Address **520 Sims Bldg, Albuquerque, New Mexico**

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Date Surveyed **July 13, 1956**

Ernest V. Echhawk
Reg. Land Surveyor, N. Mex., Reg. No. 1545