

1-1000
1-1000000
1-1000
1-1000

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 49-R380.4
Approval expires 12-31-60.

Indian Agency Maricopa Apache
Allottee Contract 100
Lease No. 100

| | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|-----------------------------------------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | RECEIVED MAR 21 1960 U. S. GEOLOGICAL SURVEY FARMINGTON, NEW MEXICO |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO REDRILL OR REPAIR WELL | SUBSEQUENT REPORT OF REDRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 20

1960

Well No. 2-6 is located 900 ft. from N line and 900 ft. from E line of sec. 6
24 Sec. 6 T 24 N R 5 W 100N
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco NV - Wilcox M San Arriba New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6540 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

20 200' San 7 1/2 to 10-3/4" OD 31.750 11-40 ON 2000 National Tube 22 220.75 200' 0
 220' ground level cement w/275 on seg 200 2:30 AM 12-4-59 - good cement returns
 to surface.
 San 20 7 1/2 to 9-1/4" OD 21.400 1-15 ON 2000 Republic seg 22 220.75 200' 0 2400
 220' cement w/250 on 20 seg 20 3:40 AM 12-21-59 good and returns
 while cementing - Pipe rotated free - San cement press 2000.
 200' San Union gamma ray neutron log run 120' to 20' of 5" seg - 30' to 200'
 200' to 12-15 1-15 ON 2000 National Tube seg 22 420.00 200' 0 7700 w/200
 San liner hanger without lead seal at 2000 cemented w/250 on 20 200' 2000
 cement 200 2:30 AM 1-4-60 San Cementing press 2000 Flow held 20 - did not
 reverse cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Occidental Petroleum Corp.
 Address 2000 Stockdale Highway
Escondido, California

By Original signed by T. A. Dugan
 Title Consulting Engineer