

(SUBMIT IN TRIPLICATE)

Indian Agency Stovall Co. 151

		X

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee _____

Co. Lease No. 10004

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Stovall Agency 2710
of Section 4

Midland, Texas

April 18, 1956

Well No. 2 is located 227 ft. from [N] line and 1254 ft. from [E] line of sec. 4

NE 1/4 of NE 1/4 Sec. 4
(1/4 Sec. and Sec. No.)

T-12-N, R-1-E
(Twp.) (Range)

(Meridian)

Stovall Co. ext.
(Field)

Stovall Co.
(County or Subdivision)

New Mexico
(State or Territory)


The elevation of the derrick floor above sea level is 3200 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Size	Weight	Length
1 1/2"	20	200'
2 1/8"	24	200'
3 1/8"	14, 15.5	200'

Circulate to surface
Circulate to 12 1/2' casing
Circulate to 5 1/2' casing



Proposed total depth - 2500' to test New Mexico.
Halliburton method of cementing to be used.
Low water loss mud with diesel additive from 200-2500'. Drill with gas from 2000-2500'.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Doble Oil & Drilling Company

Address Box 1000 Midland, Tex.

By [Signature]

Title Division Chief Clerk