DEPUTY OIL & GAS INSPECTOR

JICARILLA APACHE TRIBE

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

FEB 26 1998

ENVIRONMENTAL PROTECTION OFFICE

P.O. BOX 507 DULCE, NEW MEXICO 87528


Approved


PIT REMEDIATION AND CLOSURE REPORT

Operator: PNM Gas Services (C	hateau) Telephone: 324-3764	
Address: 603 W. Elm Street Farmington, NM	87401	
Facility or Well Name: Hunon 3		
Location: Unit: A Sec. 2	T. 2 6 N R. 4 W County Rio Arriba	
Pit Type: Separator X Dehydrat	or Other	
Land Type:		
Pit Location: Pit dimensions: lengt	n <u>30</u> width <u>24</u> depth <u>4</u>	
(Attach diagram) Reference: well	nead X other	
Footage from reference:	72'	
Direction from reference:	රු Degrees East North	
	West South	
	West South	
Depth to Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points)	<u>Ø</u>
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all	50 feet to 99 feet (10 points)	<u>8</u>
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic NOV - 3	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) Yes (20 points) No (0 points) Less than 200 feet (20 points)	<u>8</u>
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1,000 feet from all other water sources) Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams,	50 feet to 99 feet (10 points) Greater than 100 feet (0 points) Yes (20 points) No (0 points) Less than 200 feet (20 points) 200 feet to 1,000 feet (10 points)	<u>8</u> <u>8</u>
(Vertical distance from contaminants to seasonal high water elevation of ground water) Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or, less than 1,000 feet from all other water sources) Distance to Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) Distance to Ephemeral Stream (dry wash): (Horizontal distance to all downgradient streams having a width of at least 10	50 feet to 99 feet (10 points) Greater than 100 feet (20 points) Yes (20 points) No (20 points) Less than 200 feet (20 points) 200 feet to 1,000 feet (10 points) Greater than 1,000 feet (0 points) Less than or equal to 100 feet (10 points)	<u>8</u> <u>8</u> <u>8</u>

Date Remediation Started	: <u>7/24/97</u>	Date Completed: $9/17/97$
Remediation Method:	Excavation X	Approx. Cubic Yards / 7
(Check all appropriate	Landfarmed X	Amount Landfarmed (cubic yds):/
sections)	Other	
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite X	Offsite
Removed co Astoget A Bettom 1s	emedial Action: n taminated soil below 100ppin h	
Ground Water Encounte	red: No <u>X</u> Yes	Depth
Final Pit Closure Sampling:	Sample Location North,	East, South, And West
(if multiple samples, attach sample result and diagram of sample locations and depths.)	Sample depth $\frac{4}{7/24/9}$	7 Sample time <u>0816</u>
' '	ample Results	
Soil: B	enzene (ppm)	Water: Benzene (ppb)
Т	otal BTEX(ppm ル 力	Toluene (ppb)
F	ield headspace (ppm) 50.8	
Т	PH // D ppm Method _	80/5 Total Xylenes (ppb)
Ground Water Sample	: Yes No _	(If yes, attach sample results)
I HEREBY CERTIFY THAT KNOWLEDGE AND MY B		RUE AND COMPLETE TO THE BEST OF MY
DATE 8/5/	10.3	TED NAME Ronald A. Dedrick
SIGNATURE Roman	A Dodick AND	TITLE Environmental Technician II
	PIT CLOSURE INFORMATION, PITTRIBE PIT CLOSURE ORDINANCE	T CLOSURE IS APPROVED IN ACCORDANCE
APPROVED: YES	NO (REASON	1): Spray + close
SIGNED:	DATE DATE	E: 8-12-97

Sec. 2 TAGN RALD UnitA Chateau





OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:

Denver Bearden

Date:

31-Jul-97

Company: PNM Gas Services

COC No.:

5521

Address: 603 W. Elm Sample No.:

15476

City, State: Farmington, NM 87401

Job No.:

2-1000

Project Name:

PNM Gas Services - Huron 3

Project Location:

9707240816; 4pt. Composite

Sampled by:

PA

Date: Date: 24-Jul-97 Time:

8:16

Analyzed by:

HR/DC

31-Jul-97

Sample Matrix:

Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of
	Received	Measure	Quantitation	Measure
Diesel Range Organics (C10 - C28)	ND	mg/kg	5	mg/kg

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0548-STD

Continuing Calibration Verification

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	RPD	RPD Limit
i didilictei	Dialik	Measure	value	Value	, AFD	Linit
Diesel Range (C10 - C28)	ND	ppm	200	192	4.3	15%


Matrix Spike

	_				
	1- Percent	2 - Percent			RPD
Parameter	Recovered	Recovered	Limit	RPD	Limit
Diesel Range (C10-C28)	86	88	(70-130)	3	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date: 7/31/97

P.O. BOX 2606 • FARMINGTON, NM 87499





LAB: (505) 325-1556

ANALYTICAL REPORT

Attn:Denver BeardenDate:31-Jul-97Company:PNM Gas ServicesCOC No.:5521Address:603 W. ElmSample No.:15476City, State:Farmington, NM 87401Job No.:2-1000

Project Name: PNM Gas Services - Huron 3

Project Location: 9707240816; 4pt. Composite

Sampled by: PA Date: 24-Jul-97 Time: 8:16

Analyzed by: HR Date: 30-Jul-97

Sample Matrix: Soil

Laboratory Analysis

Parameter		Results as Received	Unit of Measure	Limit of Quantitation	Unit of Measure
Benzene		ND	ug/kg	1	ug/kg
Toluene		ND	ug/kg	1	ug/kg
Ethylbenzene		ND	ug/kg	1	ug/kg
m,p-Xylene		ND	ug/kg	1	ug/kg
o-Xylene		ND	ug/kg	1	ug/kg
-	TOTAL	ND	uø/kø		

ND - Not Detected at Limit of Quantitation

Method - SW-846 EPA Method 8020A Aromatic Volatile Organics by Gas Chromatography

Approved by:

P.O. BOX 2606 • FARMINGTON, NM 87499

SUBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

ON-SITE SOIL REMEDIATION REPORT

Operator: PNM Gas Services (Chateny)	Telephone: 324-3764
Address: 603 W. Elm Street Farmington, NM 87401	
Facility or Well Name: 1/14ron 3	
Location: Unit: // Sec. 2 T.	24 N R. 4 W County Rio Arriba
Land Type: Jicarilla Apache	
Date Remediation Started: 7/24/97 Remediation Method: Landfarmed X Composted Other	Date Completed: $\frac{\mathcal{E}/15/7}{2}$ Approx. cubic yards $\frac{\mathcal{E}/25}{2}$
Depth to Ground Water: (pts.)	Final Closure Sampling:
Distance to an Ephemeral Stream: (pts.) Distance to Newrest Lake, Playa, (pts.)	Sampling Date: <u>E/14/97</u> Time <u>//46</u>
or Watering Pond:	Sampling Results:
Wellhead Protection Area: (pts.)	Field Headspace (ppm) 798 TPH (ppm) 36 Method 80/5
Ranking Score (Total Points):	Other
I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND	
DATE 8/20/97 PRINTED NO.	AME Ronald A. Dedrick
SIGNATURE - Romald A Dedical AN	D TITLE Environmental Technician II
AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SI JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE	TE REMEDIATION APPROVED IN ACCORDANCE TO THE
APPROVED: YES NO (REASON)	use as Buckfull
SIGNED: La C Mamuel DA	TE: 8-20-99

Sec 2 TAGN R4W Unit A Chateau

LANd farm

17.1 - « () 17.1 / 27 ¹ 79.E,p-75'

OFF: (505) 325-5667



LAB: (505) 325-1556

ANALYTICAL REPORT

Attn: Denver Bearden Date: 18-Aug-97

Company: PNM Gas Services COC No.: 5545 Address: 603 W. Elm Sample No.: 15792 2-1000

City, State: Farmington, NM 87401 Job No.:

PNM Gas Services - Huron 3 Landfarm Project Name:

Project Location: 9708141148; 5pt. Composite

Sampled by: Date: 14-Aug-97 Time: RB 11:48

Analyzed by: HR/DC Date: 15-Aug-97

Sample Matrix: Soil

Laboratory Analysis

Parameter	Results as	Unit of	Limit of	Unit of	
	Received	Measure	Quantitation	Measure	
Diesel Range Organics (C10 - C28)	36	mg/kg	5	mg/kg	

ND - Not Detected at Limit of Quantitation

Quality Assurance Report

DRO QC No.: 0548-STD

Continuing Calibration Verification

	Method	Unit of	True	Analyzed		RPD
Parameter	Blank	Measure	Value	Value	RPD	Limit
Diesel Range (C10 - C28)	ND	ppm	200	194	2.9	15%

Matrix Spike

	1- Percent	2 - Percent			RPD
Parameter	Recovered	Recovered	Limit	RPD	Limit
Diesel Range (C10-C28)	83	85	(70-130)	2	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date: 8/18/97