FORM APPROVED Form 3160-5 **UNITED STATES** Budget Bureau No. 1004-0135 (November 1994) DEPARTMENT OF THE INTERIOR Expires July 31, 1996 **BUREAU OF LAND MANAGEMENT** Lease Serial No. RECEIVED Íract 251 SUNDRY NOTICES AND REPORTS ON WELLS Contract 154 BI M 6. If Indian, Allottee or Tribe Name Do.n∂t use this form for proposals to drill or to re−enter an Ambandoned well. Use Form 3160-3 (APD) for such proposals Jicarilla Apache 7. If Unit or CA/Agreement, Name and/or No. IN TRIPLICATE - Other instructions on reverse side 070 FARMINGTON Type of Well Oil Well 8. Well Name and No. Jicarilla Apache 2. Name of Operator DHC #1224 APR 1 6 1999 Marathon 011 Company 9. API Well No. 3a. Address 3b. Phone No. (include area code) 30-039-08101 COM P.O. Box 2409 Hobbs, NM 88240 **(505)** \//393-7106 10. Field and Pool, or Exploratory Area 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Jicarilla DIST. 3 UL A. Sec. 28, T-26-N, R-5-W Basin Dakota / Mesa Verde 990' FNL and 1100' FEL 11. County or Parish, State Rio Arriba CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Alter Casing Fracture Treat Reclamation Subsequent Report Casing Repair New Construction Recognitete Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13

Describe Proposed or Commpleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

9

NM

Water Shut-Off

Well Integrity

*Please note: This form is being resubmitted to correct the previous one dated 12/11/98. The API No. was incorrect, it should have been 30-039-08108.

Marathon Oil Company proposes to pull the coil tubing and release the packer, and rerun a single string of tubing to more efficiently downhole commingle the above referenced well. (Downhole Commingle No. 1224.)

Please see the attachment for summary of work that was performed. Work was performed from October 25. 1998 to November 22, 1998.

API # BLM has in database for this well is 30-039@-08181 Per Dorothy (NMOCD) correct API# 15 30 03908101 (4-14-99)

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Kelly Cook	itle	Records Processor						
Kelly Cook	ate	3/19/99						
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by Shall Ask	Title	Lands and white the comment	Date APR	1	5	19 90	_	
Conditions of approval, if any, we attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.	Officie	e						

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (November 1994) DEPARTMEN BUREAU OF SUNDRY NOTICES Do not use this form for abandoned well. Use Form SUBMIT IN TRIPLICATE 1. Type of Well Oil X Gas Well Other 2. Name of Operator Marathon 011 Company 3a. Address	7. If Unit or CA/Agreement, Name and/or P 8. Well Name and No. Jicarilla Apache 9 DHC #1224 9. API Well No.				
P.O. Box 2409 Hobbs. NM 88240	30-039-08181 10. Field and Pool, or Exploratory Area				
4. Location of Well (Footage, Sec., T., R., M., or Survey Descrium UL A, Sec. 28, T-26-N, R-5-W 990' FNL and 1100' FEL.		Jicarilla Basin Dakota / Mesa Verde 11. County or Parish, State Rio Arriba NM			
12. CHECK APPROPR	IATE BOX(ES) TO INDICATE NATURE OF NOTICE, I	REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent X Subsequent Report Final Abandonment Notice	Alter Casing Fracture Treat Casing Repair New Construction Change Plans Plug and Abandon	Production (Start/Resume) Water Shut-Off Reclamation Well Integrity Recomplete X Other Temporarily Abandon Water Disposal			
Attach the Bond under which the work will be per following completion of the involved operations. If testing has been completed. Final Abandonment N determined that the final site is ready for final inspection. Marathon 011 Company proposes to of tubing to more efficiently download to the comming to the comming the No. 1224.)	ly state all pertinent details, including estimated starting date of plete horizontally, give subsurface locations and measured and reformed or provide the Bond No. on file with BLM/BIA. Re the operation results in a multiple completion or recompletion lotices shall be filed only after all requirements, including real.) pull the coil tubing and release the paymental commingle the above referenced with marry of work that was performed. Work to the provided of the performed of the performance of the p	true vertical depths of all pertinent markers and zones quired subsequent reports shall be filed within 30 day in a new interval, a Form 3160-4 shall be filed one clamation, have been completed, and the operator has acker, and rerun a single string			
		-			
		NORTHWEST OPERATIONS			
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	Title Records Proc	essor			

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Date

Office

12/11/98

ands and Mineral Resources

Date

JAN 27 1999

Approved by

Jicarilla Apache Well No. 9 UL 'A', Sec 28, T-26-N, R-5-W 990' FNL and 1100' FEL Rio Arriba County, NM

Work performed from October 25, 1998 to November 22, 1998

RU Dowell CTU. Kill well. NU BOP and injector head. POOH w/ 1.5" coil tubing. ND injector head and BOP. RDMO CTU.

MIRU PU and equipment. Killed well w/ 18 bbls 2% KCl.

ND wellhead and NU BOP.

Pulled on tubing w/ 40,000#. Tubing parted 11 jts down. POOH.

PU overshot. TIH to top of fish. Latch onto fish.

Release packer. POOH w/ 2-3/8" tubing.

PU 3-7/8" bit. TIH and tagged at 7327'.

RU air foam unit and break circulation

Cleaned out 30' and pipe started sticking.

POOH. Found packer slip in BOP.

PU notched collar. TIH. Tagged at 7410'.

Break circulation. Clean out fill to PBTD at 7461'. POOH.

PU casing scrapper. RIH w/ bit and scrapper.

Could not go past 20'. LD bit and scrapper.

PU packer and RBP. TIH and set packer at 6982'.

Acidized Perfs from 7078' - 7324' w/ 1000 gallons of 15% HCl.

Release packer and pull up hole.

Set RBP at 5320'. Release RBP.

PUH. Set packer at 5040'.

Acidized Perfs from 5107' - 5221' w/ 1000 gallons of 15% HCl.

Release packer. RIH. Latch and release RBP at 5320'.

POOH. LD packer and RBP.

PU notched collar and SN. TIH and tag at 7461'.

Unloaded well with air unit.

LD 8 jts. ND BOP and NU wellhead.

Hook up to surface equipment.

RDMO PU and equipment.

MIRU swab unit.

Swab well. Recovered 30 bbls.

RDMO swab unit.

MIRU PU. Kill well w/ 2% KCl.

ND wellhead. NU BOP.

RIH w/ 5 jts. Swab well.

LD 2 jts. ND BOP. NU wellhead.

Land SN at 7290' on 2-3/8" tubing.

RDMO PU.