



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office \_\_\_\_\_  
Lease No. 2221  
Unit L

TRANSPORTER CHANGED FROM SHELL  
OIL COMPANY TO SHELL PIPE LINE  
CORPORATION EFFECTIVE 12/31/60

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 23, 1963

Well No. PC-89 is located 1650 ft. from N line and 990 ft. from W line of sec. 3  
NW 1/4 SW 1/4 Section 26 N 6 W NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
South Planco Pictured Cliffs Rio Arriba New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6500 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work.)

This well was completed in July, 1953 to produce water from perforations 1685' to 2002'. Later from this zone was not entirely suitable for use for drilling and so a Guiberson cast iron bridge plug was set at 1600' and the 5 1/2" casing perforated with 1 hole per foot from 924 to 814, 846 to 836, 826 to 816, 808 to 802, 796 to 786, 738 to 732, 725 to 715, 686 to 676, 662 to 656, 624 to 616, 608 to 602, 588 to 582, 580 to 570, 565 to 547, 508 to 5 2 and 436 to 426.

Bailed well 2 1/2 hours at rate of 23 BPM which lowered water level from 425 to 440'. Ran 3" tubing to 604' and started pumping at rate of 360 BPM.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be commenced.

Company Caulki s Oil Company

Address Box 780

Farrington, N. M.

By Frank J. Gray  
Title Superintendent

