DEPUTY OIL & GAS INSPECTORENVIRONMENTAL PROTECTION OFFICE

FEB 2 8 1997 Agency !

P.O. BOX 507 **DULCE, NEW MEXICO 87528**


ŠÚBMIT 1 COPY TO NATURAL RESOURCE DEPT AND OIL GAS ADMINISTRATION

PIT REMEDIATION AND CLOSURE REPORT

<u>P</u>	IT REMEDIATION AND CLOS	SURE REPORT	DIL COL.	
Operator: PNM Gas	Services Conoco		324-3764	
Address: 603 W. Eim Str	reet Farmington, NM 87401			
Facility or Well Name:	Ticarilla E-8			
Location: Unit:	Sec. 15 T 261	N R. <u>4W</u> Cou	nty Rio Arriba	_
Pit Type: Separator	Dehydrator X	Other		
Land Type: Jicarilla Apa	che			
Pit Location: Pit di	mensions: length 24	width 24	depth ුදුර	2
(Attach diagram) Refe	rence: wellhead X	other		
Foot	age from reference: 99			
Direc	ction from reference: Straight De	grees East of	North	
		X West	South	
Depth to Ground Water:		Less than 50 feet	(20 points) (10 points)	a
(Vertical distance from contamenants to seasonal righ water elevation of ground water)		50 feet to 99 feet Greater than 100 feet	(0 points)	
Wellhead Protection Area:	:	Ye s No	(20 points) (0 points)	10
(Less then 200 feet from a private domestic water source, or; less then 1,000 feet from all other water sources)				
Distance to Surface Water	r:	Less than 200 feet 200 feet to 1,000 feet	(20 points) (10 points)	10
(Honzontal distance to perennial lakes, ponds, rivers, streams, creeks, impation carets and disches)	(Greater than 1,000 feet	(O points)	/
Distance to Ephemeral St	ream (dry wash): Less th	an or equal to 100 feet Greater than 100 feet	(10 points) (0 points)	8
(Honzontal distance to all downgradient streame naving a width of at least 10 feet)		400 6-4		
Distance to Nearest Lake. Pond:	, Playa, or Watering	an or equal to 100 feet Greater than 100 feet	(10 points) (0 points)	8
(Honzontal distance to all downgradient lakes, playes, and investock or wildlife				
water ponds)				

Date Remediation Started	8/13/96	Date Completed:	9/5/46	
Remediation Method:	Excavation X	Approx. Cubic Yards	491	
(Check all appropriate sections)	Landfarmed X	Amount Landfarmed (cubic y	ds): 370	
	Other			
Remediation Location: (i.e., landfarmed onsite, name and location of offsite facility)	Onsite	Offsite TAT LANCE	RAnch, N. Mex.	
	staminated soil f	rom all four a below 100	side wall	
Ground Water Encounte	ered: No X Yes	Depth		
Final Pit Closure Sampling:	Sample Location Nonth	East, South	west side	
(if multiple samples, attach	Sample depth 23	7704 710 13		
sample result and diagram of sample locations and	Sample date $\frac{8/(3/9)}{8}$	6 Sample time	1340	
depths.)	Sample Results			
Soil:	Benzene (ppm)	Water: Benzene (p	ob)	
	Total BTEX (ppm	Toluene (p	pb)	
	Field headspace (ppm) 39,	—	ne (ppb)	
	TPH <5.6 ppm Method	8015 Total Xylene	es (ppb)	
Ground Water Samp		(If yes, attach s	ample results)	
I HEREBY CERTIFY TH KNOWLEDGE AND MY	AT THE INFORMATION ABOVE IS	TRUE AND COMPLETE TO T	HE BEST OF MY	
		NTED NAME Ronald A. De	edrick	
SIGNATURE Ram	ald A Dealuce AM	ID TITLE Environmental	Technician II	
AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.				
APPROVED: YES	NO (REASO	ON):		
SIGNED: TOP	6. Mam Il DA	TE: <u>8-19-96</u>		

Jicarilla E-8 Sec. 15 T26N R4W Conocci



Pum	99'	Well hend

OFF: (505) 325-5667



LAB: (505) 325-1556

Diesel Range Organics

Attn:

Denver Bearden

Company: PNM Gas Services

Address:

603 W. Elm

City, State: Farmington, NM 87401

Date:

15-Aug-96

COC No.:

4771

Sample No.

11780

Job No.

2-1000

Project Name:

PNM Gas Services - Jicarilla E-8 Run 12-51

Project Location: Sampled by:

ΕP

9608131340; 5pt. Composite Date:

13-Aug-96 Time:

13:40

Analyzed by: Sample Matrix:

DC/HR Soil

Date:

15-Aug-96

Laboratory Analysis

Parameter	Result	Unit of Measure	Detection Limit	Unit of Measure
Diesel Range Organics (C10 - C28)	< 5.0	mg/kg	5.0	mg/kg

Quality Assurance Report

DRO QC No.:

0479-QC

Calibration Check

Parameter	Method Blank	Unit of Measure	True Value	Analyzed Value	% Diff	Limit
Diesel Range (C10 - C28)	< 5.0	ppm	100	98	2.4	15%

Matrix Spike

Parameter	1- Percent Recovered	· 2 - Percent Recovered	Limit	%RSD	Limit
Diesel Range (C10-C28)	112	114	(70-130)	1	20%

Method - SW-846 EPA Method 8015A mod. - Nonhalogenated Volatile Hydrocarbons by Gas Chromatography

Approved by: Date: 3/15/96