

JICARILLA APACHE TRIBE
ENVIRONMENTAL PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528

8J467 OK
SUBMIT COPY TO
NATURAL RESOURCE DEPT
AND OIL & GAS ADMINISTRATION

RECEIVED
AUG 27 1999

PIT REMEDIATION AND CLOSURE REPORT

OIL CON. DIV.

DIST. 3

Operator: AMOCO PRODUCTION COMPANY Telephone: (505) 326-9200
Address: 200 Amoco Court, Farmington, NM 87401
Facility or Well Name: JICARILLA CONTRACT 155-20
Location: Unit or Qtr/Qtr Sec N Sec 29 T 26N R 5W County RIO ARriba
Pit Type: Separator Dehydrator Other BLOW
Land Type: RANGE

Pit Location: Pit dimensions: length 60', width 80', depth 15'
(Attach diagram) Reference: wellhead X, other
Footage from reference: 180'
Direction from reference: 58 Degrees East of North
X West of South X

Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater)	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points)	<u>20</u>
Distance to an Ephemeral Stream (Downgradient dry wash greater than ten feet in width)	Less than 100 feet (10 points) Greater than 100 feet (0 points)	<u>10</u>
Distance to Nearest Lake, Playa, or Watering Pond (Downgradient lakes, playas and livestock or wildlife watering ponds)	Less than 100 feet (10 points) Greater than 100 feet (0 points)	<u>0</u>
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or: less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)	<u>0</u>
Distance To Surface Water: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 100 feet (20 points) 100 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)	<u>10</u>

RANKING SCORE (TOTAL POINTS): 40

Date Remediation Started: _____ Date Completed: 11/1/96

Remediation Method: Excavation ☒ Approx. cubic yards 2,000
(check all appropriate (ions) Landfarmed ☒ Insitu Bioremediation _____
Other _____

Remediation Location: Onsite ☒ Offsite _____
(i.e. landfarmed onsite, name and location of offsite facility) _____

General Description of Remedial Action: ExcavationGroundwater Encountered: No ☒ Yes _____ Depth _____

Final Pit: Sample location see Attached Documents
Closure Sampling: _____
(if multiple samples, attach sample results and diagram of sample locations and depths) Sample depth 16'
Sample date 11/1/96 Sample time 1230
Sample Results

Soil: Benzene	(ppm)	_____	Water: Benzene	(ppb)	_____
Total BTEX	(ppm)	_____	Toluene	(ppb)	_____
Field Headspace	(ppm)	<u>1.4</u>	Ethylbenzene	(ppb)	_____
TPH	(ppm)	<u>32</u>	Total Xylenes	(ppb)	_____

Groundwater Sample: Yes _____ No ☒ (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 11/1/96 PRINTED NAME Buddy D. Shaw
SIGNATURE Buddy D. Shaw AND TITLE Environmental Coordinator

AFTER REVIEW OF THE PIT CLOSURE INFORMATION, PIT CLOSURE IS APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES ☒ NO _____ (REASON) _____SIGNED: Kees C. Marshall DATE: 11-5-96

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>BJ467</u> C.O.C. NO: _____
----------------------	--	---

FIELD REPORT: CLOSURE VERIFICATION	PAGE No: <u>1</u> of <u>1</u>
------------------------------------	-------------------------------

LOCATION: NAME: <u>JICARILLA</u> CONTRACT WELL #: <u>155-20</u> PIT: <u>BLOW</u>	DATE STARTED: <u>11/1/96</u>
QUAD/UNIT: <u>N</u> SEC: <u>29</u> TWP: <u>26N</u> RNG: <u>5W</u> PM: <u>NM</u> CNTY: <u>RA</u> ST: <u>NM</u>	DATE FINISHED: _____
CTR/FOOTAGE: <u>SE/4 SW/4</u> CONTRACTOR: <u>P+S</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

EXCAVATION APPROX. <u>60</u> FT. x <u>80</u> FT. x <u>15</u> FT. DEEP. CUBIC YARDAGE: <u>2,000</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LAND FARMED</u>
LAND USE: <u>RANGE</u> LEASE: <u>JICA. CONTR. 155</u> FORMATION: <u>MV</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>180</u> FT. <u>SSW</u> FROM WELLHEAD.
DEPTH TO GROUNDWATER: <u><50'</u>	NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u><1000'</u>
NMOCB RANKING SCORE: <u>30</u>	NMOCB TPH CLOSURE STD: <u>100</u> PPM
SOIL AND EXCAVATION DESCRIPTION:	
CHECK ONE: ☒ PIT ABANDONED ☐ STEEL TANK INSTALLED ☐ FIBERGLASS TANK INSTALLED	

ENTIRE EXCAVATION CONSIST MOSTLY OF DR. YELL. ORANGE TO BROWN SAND TO SILTY SAND, NON-COHESIVE, SLIGHTLY MOIST, FIRM TO SLIGHTLY DENSE NO APPARENT HC ODOR IN ANY OF THE OVM SAMPLES, SOME REMNANT CLUMPS OF HC STAINED SOIL OBSERVED W/IN PIT BOTTOM SURFACE PROBABLY DUE TO EXCAVATOR, HOWEVER SIDEWALLS & PIT BOTTOM APPEAR FREE OF STAINING & ODOR.

CLOSED

FIELD 418.1 CALCULATIONS

TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm
1230	⑤ @ 16'	TPH-1854	5	20	1:1	8	32

SCALE




0 FT


PIT PERIMETER

OVM RESULTS

PIT PROFILE



SAMPLE ID	FIELD HEADSPACE PID (ppm)
1 @ 9'	0.0
2 @ 9'	0.0
3 @ 8'	0.0
4 @ 7'	0.0
5 @ 16'	1.4



LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME

TRAVEL NOTES:

CALLOUT: 10/31/96 morn. ONSITE: 11/1/96 AFTER.

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

**FIELD MODIFIED EPA METHOD 418.1
TOTAL PETROLEUM HYDROCARBONS**

Client:	AMOCO	Project #:	
Sample ID:	5 @ 16'	Date Analyzed:	11-01-96
Project Location:	Jicarilla Contract # 155 - 20	Date Reported:	11-01-96
Laboratory Number:	TPH-1854	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	32	20


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% * Diff.
	4640	4400	5.31

*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total
Recoverable, Chemical Analysis of Water and Waste,
USEPA Storet No.4551, 1978

Comments: Blow Pit - BJ467


Analyst


Review

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413

Phone: (505)632-1199 Fax: (505)632-3903

Field TPH-Worksheet

Max Characters:

Client:

AMOCO

Project #:

Sample ID:

5 @ 16'

Date Analyzed:

11-01-96

Project Location:

Jicarilla Contract # 155 - 20

Date Reported:

11-01-96

Laboratory Number:

TPH-1854

Sample Matrix:

Soil

Sample Weight:

5.00 grams

Volume Freon:

20.00 mL

Dilution Factor:

1 (unitless)

TPH Reading:

8 mg/kg

TPH Result:

32.0 mg/kg

Reported TPH Result:

32 mg/kg

Actual Detection Limit:

20.0 mg/kg

Reported Detection Limit:

20 mg/kg

QA/QC:

Original
TPH mg/kg

Duplicate
TPH mg/kg

%
Diff.

4640

4400

5.31

Comments:

*****Max Characters*****

Comments:

Blow Pit - BJ467

85467

SUBMIT 1 COPY TO
NATURAL RESOURCE DEPT
AND OIL & GAS ADMINISTRATION

**JICARILLA APACHE TRIBE
ENVIRONMENTAL PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528**

ON-SITE SOIL REMEDIATION REPORT

Operator: AMOCO PRODUCTION COMPANY **Telephone:** (505) 326-9200

Address: 200 Amoco Court, Farmington, NM 87401

Facility or Well Name: JICARILLA CONTRACT 155-20

Location: Unit or Qtr/Qtr Sec N Sec 29 T26N R5W County

Land Type: RANGE

Date Remediation Started: 11/1/96 **Date Completed:** 8/15/97

Remediation Method: Landfarmed

Approx. cubic yards 2500

Composted

Other STOCKPILED (ORIGINALLY LANDFARMED)

Depth To Groundwater: (pts.) 20

Distance to an Ephemeral Stream (pts.) 10

Distance to Nearest Lake, Playa, or Watering Pond (pts.) 0

Wellhead Protection Area: (pts.) 0

Distance To Surface Water: (pts.) 10

RANKING SCORE (TOTAL POINTS): 40

Final Closure Sampling:

Sampling Date: 8/15/97 **Time:** 1425

Sample Results:

Field Headspace (ppm) 0.0

TPH (ppm) 36.1 **Method** 8015

Other

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 8/15/97 **PRINTED NAME** Buddy D. Shaw
SIGNATURE Buddy D. Shaw **AND TITLE** Environmental Coordinator

AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION IS APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES ☒ NO ☐ (REASON)

SIGNED: Kurt C. Mamm **DATE:** 9-2-97

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>87467</u> C.D.C. NO: <u>5143</u>
----------------------	--	---

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>JICARILLA CONTR. ISS</u> WELL #: <u>20</u> PITS: <u>SEP, BLOW</u> QUAD/UNIT: <u>N</u> SEC: <u>29</u> TWP: <u>26N</u> RNG: <u>5W</u> PM: <u>NM</u> CNTY: <u>RA</u> ST: <u>NM</u> DTR/FOOTAGE: <u>SE/4 SW/4</u> CONTRACTOR: <u>P+S</u>	DATE STARTED: <u>8/12/97</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>
---	---

SOIL REMEDIATION:

REMEDIATION SYSTEM: STOCKPILED APPROX. CUBIC YARDAGE: 2,500
 LAND USE: RANGE LIFT DEPTH (ft): NA

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: <50' NEAREST WATER SOURCE: >1000' NEAREST SURFACE WATER: <1000'
 NMDD RANKING SCORE: 30 NMDD TPH CLOSURE STD: 100 PPM


MOSTLY DK. YELL. BROWN SAND w/ SOME INTERMIXED CLAY, NON COHESIVE (SAND) TO SLIGHTLY PLASTIC (CLAY) SLIGHTLY MOIST, FIRM, SAMPLE PTS. (6) & (9) CONTAINED BLACK DISCOLORATION w/ HC ODOR. STOCKPILES ORIGINALLY LANDFARMED. 5 PT. COMPOSITE COLLECTED FOR LAB ANALYSIS.

CLOSED

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS



OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE FID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
SP-2	0.0	SP-2	TPH (8015)	1425	36.1

SCALE

0 1 FT

TRAVEL NOTES:

CALLOUT: _____ ONSITE: 8/12/97

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Amoco	Project #:	04034-10
Sample ID:	SP - 2	Date Reported:	08-13-97
Laboratory Number:	B823	Date Sampled:	08-12-97
Chain of Custody No:	5143	Date Received:	08-13-97
Sample Matrix:	Soil	Date Extracted:	08-13-97
Preservative:	Cool	Date Analyzed:	08-13-97
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	36.1	0.1
Total Petroleum Hydrocarbons	36.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, July 1992.

Comments: **Jicarilla Contract 155-20 Stockpiles.
5 pt. Composite.**


Analyst


Review

JICARILLA APACHE TRIBE
ENVIRONMENTAL PROTECTION OFFICE
P.O. BOX 507
DULCE, NEW MEXICO 87528

BJ467

SUBMIT 1 COPY TO
NATURAL RESOURCE DEPT
AND OIL & GAS ADMINISTRATION

ON-SITE SOIL REMEDIATION REPORT

Operator: AMOCO PRODUCTION COMPANY Telephone: (505) 326-9200

Address: 200 Amoco Court, Farmington, NM 87401

Facility or Well Name: JICARILLA CONTRACT 155-20

Location: Unit or Qtr/Qtr Sec N Sec 29 T 25N R 5W County RIO ARIZONA

Land Type: RANGE

Date Remediation Started: 11/1/96 Date Completed: 9/13/97

Remediation Method: Landfarmed Approx. cubic yards 400

Composted

Other STOCKPILED (ORIGINALLY LANDFARMED)

Depth To Groundwater: (pts.) 20

Distance to an Ephemeral Stream (pts.) 10

Distance to Nearest Lake, Playa,
or Watering Pond (pts.) 0

Wellhead Protection Area: (pts.) 0

Distance To Surface Water: (pts.) 10

RANKING SCORE (TOTAL POINTS): 40

Final Closure Sampling:

Sampling Date: 9/12/97 Time: 1120

Sample Results:

Field Headspace (ppm) 12.1

TPH (ppm) 393 Method 8015

Other

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF

DATE 9/13/97 PRINTED NAME Buddy D. Shaw

SIGNATURE Buddy D. Shaw AND TITLE Environmental Coordinator

AFTER REVIEW OF THE SOIL REMEDIATION INFORMATION, ON-SITE REMEDIATION IS APPROVED IN ACCORDANCE TO THE JICARILLA APACHE TRIBE PIT CLOSURE ORDINANCE.

APPROVED: YES NO (REASON)

SIGNED: DATE:

CLIENT: <u>AMOCO</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>BT467</u> C.D.C. NO: <u>5143</u> <u>9/11/97-5404</u>
----------------------	--	--

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: <u>JICARUA CONTR.</u> ISS WELL #: <u>20</u> PITS: <u>SEP, BLOW</u>	DATE STARTED: <u>8/12/97</u>
QUAD/UNIT: <u>N</u> SEC: <u>29</u> TWP: <u>26N</u> RNG: <u>5W</u> PM: <u>NM</u> CNTY: <u>LA</u> ST: <u>NM</u>	DATE FINISHED: _____
QTR/FOOTAGE: <u>SE/4 SW/4</u> CONTRACTOR: <u>P+S</u>	ENVIRONMENTAL SPECIALIST: <u>NV</u>

SOIL REMEDIATION:

REMEDICATION SYSTEM: STOCKPILED APPROX. CUBIC YARDAGE: 400

LAND USE: RANGE LIFT DEPTH (ft): NA

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: <50' NEAREST WATER SOURCE: 71000' NEAREST SURFACE WATER: <1000'


NMOED PANKING SCORE: 30 NMOED TPH CLOSURE STD: 100 PPM

SAMPLE PTS. ① & ② CONSIST OF DR. GRAY TO BLACK SILTY SAND W/ STRONG HC ODOR, REMAINING SAMPLE PTS. OK. YELL. BROWN TO OLIVE GRAY SAND TO SILTY SAND, NON COHESIVE, SLIGHTLY MOIST, FIRM, SLIGHT HC ODOR, 5 PT. COMPOSITE COLLECTED FOR LAB ANALYSIS PRIOR TO 9/11/97 TAMPING EVENT, STOCKPILES HAD BEEN REWORKED BY LOADEL ON SEVERAL OCCASIONS. 2ND 5 PT. COMPOSITE COLLECTED FOR LAB ANALYSIS,

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

NO DISCOLORATION OBSERVED ON 2ND SAMPLING EVENT.

SKETCH/SAMPLE LOCATIONS N



SP-2 SAMPLED 9/11/97
SP-3 SAMPLED 10/8/98

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
SP-1	47.0	SP-1	TPH(8015)	1345	482
SP-2	12.1	SP-2	TPH(8015)	1120	393
		SP-3	TPH(8015)	1300	61.8

SCALE

0 FT

TRAVEL NOTES: CALLOUT: NA ONSITE: 8/12/97, 9/11/97

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Amoco	Project #:	04034-10
Sample ID:	SP - 1	Date Reported:	08-13-97
Laboratory Number:	B822	Date Sampled:	08-12-97
Chain of Custody No:	5143	Date Received:	08-13-97
Sample Matrix:	Soil	Date Extracted:	08-13-97
Preservative:	Cool	Date Analyzed:	08-13-97
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	5.9	0.2
Diesel Range (C10 - C28)	476	0.1
Total Petroleum Hydrocarbons	482	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, July 1992.

Comments: **Jicarilla Contract 155-20 Stockpiles.
5 pt. Composite.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / AMOCO	Project #:	04034-10
Sample ID:	SP - 2	Date Reported:	09-12-97
Laboratory Number:	C023	Date Sampled:	09-11-97
Chain of Custody No:	5404	Date Received:	09-11-97
Sample Matrix:	Soil	Date Extracted:	09-11-97
Preservative:	Cool	Date Analyzed:	09-12-97
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	6.1	0.2
Diesel Range (C10 - C28)	387	0.1
Total Petroleum Hydrocarbons	393	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, July 1992.

Comments: Jicarilla Contract 155 - 20 Stockpiles. 5 Pt. Composite.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / AMOCO	Project #:	04034-10
Sample ID:	SP - 3	Date Reported:	10-10-98
Laboratory Number:	E050	Date Sampled:	10-08-98
Chain of Custody No:	6292	Date Received:	10-09-98
Sample Matrix:	Soil	Date Extracted:	10-09-98
Preservative:	Cool	Date Analyzed:	10-09-98
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	61.8	0.1
Total Petroleum Hydrocarbons	61.8	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Jicarilla Contract #155 - 20 Stockpile 5 Pt. Composite.


Analyst


Review

[illegible]

CHAIN OF CUSTODY RECORD

Client/Project Name			Project Location		ANALYSIS/PARAMETERS									
BLAGG / Amoco			STOCK PILES											
Sampler: (Signature) <i>Wilson Vef</i>			Chain of Custody Tape No. 04034-10											
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix	No of Containers						Remarks			
SP-1	8/12/97	1345	B822	SOIL	1	✓						BOTH SAMPLES PRESERVED - COOL		
SP-2	8/12/97	1425	B823	SOIL	1	✓						COMPOSITE SAMPLES		
Samples received cool & intact														
Relinquished by: (Signature) <i>Wilson Vef</i>			Date 8/13/97	Time 0700	Received by: (Signature) <i>Heaven L. Ogden</i>			Date 8/13/97	Time 0700					
Relinquished by: (Signature)					Received by: (Signature)									
Relinquished by: (Signature)					Received by: (Signature)									

Ref Csc 5139, 5140, 5141 & 5143

ENVIROTECH INC.

5796 U.S. Highway 64-3014

Farmingington, New Mexico 87401

(505) 632-0615

6292

[illegible]