

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.  
Jicarilla Apache Tribal  
Contract #117

6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
Jicarilla Apache

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Jicarilla 117 E

9. WELL NO.  
9-A

10. FIELD AND POOL, OR WILDCAT  
Blanco Mesa Verde

11. SEC., T., R., M., OR BLOCK AND SURVEY OF AREA  
Sec. 33, T-26-N, R-3-W  
NMPM

12. COUNTY OR PARISH  
Rio Arriba

13. STATE  
New Mexico

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.)  
03-24-77 04-08-77 04-26-77

18. ELEVATIONS (DF, RKR, RT, GR, ETC.)\* 19. ELEV. CASINGHEAD  
7332' GR

20. TOTAL DEPTH, MD & TVD 21. PLUG, BACK T.D., MD & TVD 22. IF MULTIPLE COMPL., HOW MANY\* 23. INTERVALS DRILLED BY  
6354' 6337'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*  
6080-6314 (MV)

25. WAS DIRECTIONAL SURVEY MADE  
No

26. TYPE ELECTRIC AND OTHER LOGS RUN  
TDT-K; CBL; VDL-GR; Temperature Survey

27. WAS WELL CORED  
No

28. CASING RECORD (Report all strings set in well)

| CASING SIZE | WEIGHT, LB./FT. | DEPTH SET (MD) | HOLE SIZE | CEMENTING RECORD | AMOUNT PULLED |
|-------------|-----------------|----------------|-----------|------------------|---------------|
| 9 5/8"      | 32.3#           | 218'           | 13 3/4"   | 224 cf.          |               |
| 7"          | 20#             | 4208'          | 8 3/4"    | 186 cf.          |               |

29. LINER RECORD

| SIZE   | TOP (MD) | BOTTOM (MD) | SACKS CEMENT* | SCREEN (MD) | 30. TUBING RECORD                                   |
|--------|----------|-------------|---------------|-------------|---|
| 4 1/2" | 4002'    | 6354'       | 395 cf.       |             | SIZE: 2 3/8" DEPTH SET (MD): 6296' PACKER SET (MD): |

31. PERFORATION RECORD (Interval, size and number)  
6080-88, 6098-6112, 6124-36, 6146-58,  
6168-84, 6194-6210, 6220-28, 6290-98,  
6306-14 with 16 shots per zone.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

| DEPTH INTERVAL (MD) | AMOUNT AND KIND OF MATERIAL USED |
|---------------------|----------------------------------|
| 6080-6314           | 70,000# sd, 70,000 gal. wtr.     |

33.\* PRODUCTION

| DATE FIRST PRODUCTION | PRODUCTION METHOD (Flowing, etc.) | WELL STATUS (Producing or shut-in) |
|-----------------------|-----------------------------------|------------------------------------|
|                       |                                   | Shut-in                            |

| DATE OF TEST | HOURS TESTED | CHOKE SIZE    | PROD'N. FOR TEST PERIOD | OIL—BBL. | GAS—MCF. | WATER—BBL. | GAS-OIL RATIO |
|--------------|--------------|---------------|-------------------------|----------|----------|------------|---------------|
| 04-26-77     | 3            | 3/4" variable |                         | 11       |          |            |               |

| FLOW. TUBING PRESS. | CASING PRESSURE | CALCULATED 24-HOUR RATE | OIL—BBL. | GAS—MCF.         | WATER—BBL. | OH. GRAVITY-API (CORR.) |
|---------------------|-----------------|-------------------------|----------|------------------|------------|-------------------------|
| SI 971              | SI 1052         |                         |          | 1924 MCF/D - ACF |            | 63°                     |

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED A. D. Duce TITLE Drilling Clerk DATE May 19, 1977

\*(See Instructions and Spaces for Additional Data on Reverse Side)



# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29:** "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. **Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:<br>SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING<br>DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES |     | 38. GEOLOGIC MARKERS |                  |
|---|-----|----------------------|------------------|
| FORMATION   | TOP | BOTTOM               | NAME             |
|   | TOP | BOTTOM               | MEAS. DEPTH      |
|   |     |                      | TRUE VERT. DEPTH |
|   |     |                      | 5525             |
|   |     |                      | 6070             |
|   |     |                      | Mesa Verde       |
|   |     |                      | Point Lookout    |