

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
2. NAME OF OPERATOR
National Cooperative Refinery Assoc.
3. ADDRESS OF OPERATOR
2215 Wilco Building, Midland, Texas 79701
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 790' FNL, 1140' FNL Sec 3
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☐
☐
☒
☐
☐
☐
☐

RECEIVED

SEP 17 1984

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

August 1, 1984 to August 10, 1984

Pulled and reran 1" and 1 1/2" tubing strings to repair packer and tubing leak. After repair work, Mesaverde TP 325 psig, Chacra TP 490 psig.

RECEIVED
SEP 20 1984
OIL CON. DIV.
DIST. 3

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED B. J. Minson TITLE Dist. Prod. Supt. DATE 9-7-84

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

SEP 11 1984
(SGD) M. MILLENBACH
M. MILLENBACH
AREA MANAGER

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

Memo

September 26, 1984

From

Luanne Hisel

To B.J. Hinson
National Cooperative Ref. Assoc.
2215 Wilco Bldg.
Midland Tx 79701

Re: Candado #19A

Dear Mr. Hinson:

The attached report on the above well does not tell what depths the tubing strings were rerun to or the depth of the packer.

Would you please show these depths on the copy and return to me, so that I can update our records.

If you have any questions, please call.

Sincerely,

Luanne Hisel

1 1/2" and 1 1/4" Tubing and packer settings shown on attached Sundry Notice per your request.

RECEIVED
OCT 03 1984
OIL CON. DIV.
DIST. 3

Oil Conservation

Aztec, New Mexico

1600 Rio Grande Rd.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other

2. NAME OF OPERATOR

National Cooperative Refinery Assoc.

3. ADDRESS OF OPERATOR

2215 Wilco Building, Midland, Texas 79701

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 790' FNL, 1140' FWL Sec 3

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) ☐

RECEIVED

SEP 17 1984

BUREAU OF LAND MANAGEMENT
FARMINGTON RESOURCE AREA

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

August 1, 1984 to August 10, 1984 —

Pulled and reran 1 1/2" and 1 1/2" tubing strings to repair packer and tubing leak. After repair work, Mesaverde TP 325 psig, Chacra TP 490 psig.

1 1/4" Chacra tubing set at 3890' KB.

1 1/2" Mesaverde tubing set at 5137' KB.

Baker Model R packer set at 4002' KB.

Subsurface Safety Valve: Manu. and Type

Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

B. J. Hinson

TITLE Dist. Prod. Supt.

DATE

9-7-84

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED

SEP 12 1984

(SGD.) MAT MILLENBACH

M. MILLENBACH
AREA MANAGER

OCT 02 1954

456 76A