SUBMIT 1 COPY TO

JICARILLA APACHE TRIBE ENVIRONMENTAL PROTECTION OFFICE P.O. BOX 507 DULCE, NEW MEXICO 87528

NATIONAL RESOURCE DEPT AND OIL & GAS ADMINISTRATION DEPUTY OIL & GAS INSPECTOR

AUG 2 3 1996

Alice De Set

PIT REMEDIATION AND CLOSURE REPORT

CA351

| | CNDG | _ |
|---|--|---------------|
| Operator: Conoco, Inc. | Telephone: (505) 324-58 | 84 |
| | | 1 |
| Address: 3315 Bloomfield Hwy. Far | • | |
| Facility or Well Name: JICARILLA B | # (3 | |
| | 26 N R4W County RLO APRICA | |
| Pit Type: Separator Other | TANK DRAIN | |
| Land Type: RANGE | | |
| | 35', width 35', depth 13' | |
| Reference: wellhead X | _, other | |
| Footage from reference: | 80 | |
| Direction from reference: | 90 Degrees East North West South | |
| Depth To Groundwater: (Vertical distance from contaminants to seasonal high water elevation of groundwater) | Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 points) | 2_ |
| Distance to an Ephemeral Stream (Dry Wash greater than ten feet in width) | Less than 100 feet (10 points) Greater than 100 feet (0 points) | <u> </u> |
| Distance to Nearest Lake, Playa, or Watering Pond (Dry Wash greater than ten feet in width) | Greater than 100 1000 | 2_ |
| Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or: less than 1000 feet from all other water sources) | |) |
| Distance To SurfaceWater: (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches) | Less than 100 feet (20 points) 100 feet to 1000 feet (10 points) Greater than 1000 feet (0 points) | <u>)</u> |
| | RANKING SCORE (TOTAL POINTS): |) |

| Date Remediation Started: | Date Completed: 3-27-96 |
|--|--|
| eck all appropriate sections) Excavation Landfarmed Landfarmed | Approx. cubic yards |
| Other Offsite Offsite Offsite | JICARILLA LAMPARM # 2 |
| offsite facility) General Description of Remedial Action:EXC | AUNTION TO HARD SHALE BOTOM |
| Groundwater Encountered: No X Yes _ | Depth |
| Closure Sampling: | SIDE |
| (if multiple samples, attach sample results and diagram of sample locations and depths) Sample date | 26 Sample time |
| • | Water: Benzene (ppb) |
| | Toluene (ppb) |
| Field Headspace (ppm) TPH (ppm) | 46 Ethylbenzene (ppb) 20 Total Xylenes (ppb) |
| Groundwater Sample: Yes NoX | (If yes, attach sample results) |
| KNOWLEGE AND BELIEF | OVE IS TRUE AND COMPLETE TO THE BEST OF MY |
| DATE MARCH 28, 1996 PRINTED SIGNATURE Jeff College AND T | NAME JEFFER C BLAGE |
| SIGNATURE Jeffy College AND T | ITLE PE-# 11607 |
| AFTER REVIEW OF THE PIT CLOSURE INFORMAT TO THE JICARILLA APACHE TRIBE PIT CLOSURE | TION, PIT CLOSURE IS APPROVED IN ACCURDANCE |
| APPROVED: YES X NO (REASON) | |
| SIGNED: Kee Manle DAT | E: 3-27-96 |

| CLIENT: CONOCO | | | D, NM 87413 | C.D.C. ND: | | |
|--|-------------------------|---|---------------------------|------------------------|--|--|
| FIELD | REPORT: P | IT CLOSURI | E VERIFICATI | ON | | |
| LOCATION. JICARILL QUAD/UNIT: M SEC: 36 TW OTR/FOOTAGE: SW | D. 26 N. DNG. 4 | W Du. NM C | NTV- RA ST. NM | DATE FINISHED: 3 27 76 | | |
| EXCAVATION APPROX. 35 FT. x 35 FT. x 13 FT. DEEP. CUBIC YARDS: 600 DISPOSAL FACILITY: JICAPILLA LAND FARM # 7 REMEDIATION METHOD: LAND FARM LAND USE: RAPGE LEASE: CONTRACT # 106 FORMATION: | | | | | | |
| FIE_D NOTES & REMARK DEPTH TO GROUNDWATER >100 | | | | | | |
| DEPTH TO GROUNDWATER: | | | | E WATER: | | |
| SOIL AND EXCAVATION DE | | | | 00 | | |
| AT EXCAVATED INTO | HARD SHALE | ODOR + L | 16HT GRAY STAL | N ON BOTTOM, | | |
| SIDEWALLS - NO STAIN | NO OLOR. | | | | | |
| SAMPLE LE ES@9^ SCALE | D. LAB No: WEIGHT |) 418.1 CALCULATI (g) mL. FREON [| DINS DILUTION READING CAI | C. ppm 20 | | |
| O 10 20FT PIT PERIME | ETER | OVM RESULTS | PIT | PROFILE | | |
| PAROD. PANULE TO S S S S S S S S S S S S S | N 7 1 1 2 E 3 3 5 4 4 4 | SAMPLE FIELD HEADS PID (PPP 15-9' 46 5-9' 2 2 3 8-13' 514 4 5 5 5 5 5 5 5 5 | | SHACE | | |
| | | | | | | |

BLAGG ENGINEERING, INC.

P.O. Box 87, Bloomfield, New Mexico 87413 Phone: (505)632-1199 Fax: (505)632-3903

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:

Sample ID: Project Location: Laboratory Number: Conoco

East Side @ 9' Jicarilla "B" 13 TPH-1704

Project #:

Date Analyzed: Date Reported: Sample Matrix:

3-27-96

3-27-96

Soil

| Parameter | Result, mg/kg | Detection Limit, mg/kg | |
|--|---------------|---------------------------|--|
| | | | |
| Total Recoverable Petroleum Hydrocarbons | 20 | 10 | |

ND = Not Detectable at stated detection limits.

QA/QC:

QA/QC Sample TPH mg/kg

4,640

TPH mg/kg

4,500

Duplicate

% *Diff.

3

*Administrative Acceptance limits set at 30%.

Method:

Modified Method 418.1, Petroleum Hydrocarbons, Total

Recoverable, Chemical Analysis of Water and Waste,

USEPA Storet No.4551, 1978

Comments:

Separator/Tank Pit - CA351

Analyst

Melson Vely