1a. TYPE OF WORK

b. TYPE OF WELL

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

At proposed prod. zone

WELL

 $\overline{23}$ .

24

SUBMIT IN TRIPLICATE\* Form approved. Budget Bureau No. 42-R1425. (Other instructions on **UNITED STATES** reverse side) 30 - 039 - 22057

5. LEASE DESIGNATION AND SERIAL NO. DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY** Contract No. 150 6. IF INDIAN, ALLOTTEE OR TRIBE NAME DEEPEN, OR PLUG BACK APPLICATION FOR PERMIT TO DRILL, Jicarilla Apache 7. UNIT AGREEMENT NAME PLUG BACK DEEPEN DRILL 🔼 MULTIPLE ZONE SINGLE S. FARM OR LEASE NAME GAS WELL OTHER Jicarilla "G" 9. WELL NO. Supron Energy Corporation **6-A** 10. FIELD AND POOL, OR WILDCAT P. O. Box 808, Farmington, New Mexico 87401 Blanco Mesaverde 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*)
At surface BRSIN Dekota
11. SEC., T., R., M., OB BLK.
AND SURVEY OR AREA 800 feet from the North line and 975 feet from the West line. T-26N, R-5V, Same as above. H.H.P.M. 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE\* 12. COUNTY OR PARISH | 13. STATE Rio Arriba 15 Miles South of Gobernador, New Mexico New Mexico 17. NO. OF ACRES ASSIGNED 15. DISTANCE FROM PROPOSED\*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any, 800 feet 16. NO. OF ACRES IN LEASE WELE 319.81 2560 20. ROTARY OR CABLE TOOLS 19. PROPOSED DEPTH 18. DISTANCE FROM PROPOSED LOCATION\* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. Rotary Approx. 820 ft. 8.000 feet 22. APPROX. DATE WORK WILL START\* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) August 1, 1979 6621 Gr. PROPOSED CASING AND CEMENTING PROGRAM QUANTITY OF CEMENT SETTING DEPTH WEIGHT PER FOOT SIZE OF CASING 180 sx. 32.75 250 ft. 10-3/4 4200 ft. 250 **SS**x 26.40 7-5/8\*

SIZE OF HOLE 12-3/4" 9-5/8" 8000 ft. 6-3/4"

This well will be drilled to intermediate casing point using mud as a circulating medium. After the intermediate casing is set and cemented, the well will be drilled to total depth using gas or air as a circulating medium. The well will have liner run and hung off and cemented. The well will be perforated in the Dakota formation and sand water fraced to stimulate production. A bridge plug will be set above the Dakota zone. The casing will then be perforated in the Mesaverde zone and sand water fraced to stimulate production. The well will then be cleaned up, the bridge plug drilled out and a Baker Production Packer will be set at approximately 7,600 feet. Tubing will be run and landed in the Production Packer and a second string of tubing will be run and set at approximately 5,000 ft. The well will then be nippled down and a packer leakage test will be to assure zone separation.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths: (Cive blowout pr

eventer program, if any.					
SIGNED Lucky A Matte	TITLE	Area Superintendent	DATE MAY 1, 1979		
(This space for Federal or State office use)					
PERMIT NO.		APPROVAL DATE	.079		
APPROVED BY	TITLE	YAM	10 101		
Oka (	Sin	OIL C	101379 CON. COM. DIST. 3		

## Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.


☆ U.S. GOVERNMENT PRINTING OFFICE: 1963—O-711-396

### NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Phim C-102 Superardea C-128 Elioctivo 1-1-65

All distances must be from the outer boundaries of the Section.

Operator			Leose			Well No.
SUPRON ENERGY CORPORATION			JICARIL			6-A
Unit Letter	Section 2	Township 26 NORTH	Range 5 WEST	RIO	ARRIBA	
Actual Factore Lace		ORTH line and	975 feet	from the	WEST	line
Ground Level Elev.	Producing For		Pool			Dedicated Acreoge:
6621	DAKOTA		BASIN			W1/2 319.81 Acres
<ol> <li>Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.</li> <li>If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).</li> <li>If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc?</li> <li>Yes No If answer is "yes," type of consolidation</li></ol>						
If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)  No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.						
-975'-©		2		P	thereby cer tained herei best of my k  redy come Rudy D. osition Area Sur company SUPRON cate April 1  thereby shown on first motes of the under my sup the surveyed the Surveyed	ENERGY CORPORATION  1, 1979  1
	     			3	James	pril 1979  wasional Engineer  response  P. Leese
	1970 1480 1480 2	210 2440 2000	1200 1000 900		IIIItale No.	1463



THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C.
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Jicarilla "G" No. 6-A Unit D, Sec. 2, Twp. 26N, Rge. 5W Rio Arriba County, New Mexico

#### SUPPLEMENT TO FORM 9-331C

- 1. The Geologic name of the surface formation is "Wasatch".
- The estimated tops of important Geologic markers are:

A.	Base of Ojo Alamo	2930
B.	Top of Pictured Cliffs	3300
C.	Top of Cliff House	4960
$D_{\bullet}$	Top of Point Lookout	5490
	Top of Dakota	7555

3. The estimated depth at which anticipated water, oil, or other mineral - bearing formations are expected to be encountered are:


A.	Base of Ojo Alamo	2930 - water
	Top of Pictured Cliffs	3300 <b>-</b> gas
c.	Top of Cliff House	4960 <b>-</b> gas
	Top of Point Lookout	5 <b>4</b> 90 <b>-</b> gas
E.	Top of Dakota	7555 <b>–</b> gas


- 4. The casing program is shown on form 9-331C and all casing is new.
- 5. The lessee's pressure control equipment schematics are attached, along with minimum specifications, testing procedures, and frequencies.
- 6. The type, estimated volumes, and characteristics of the circulating media are as follows:
  - A. 0 250 ft. Natural mud.
  - B. 250 4200 ft. Permaloid non-dispensed mud containing 167 sx gel, 67 sx permaloid, and 10 sx C.M.C.
  - C. 4200 8000 ft. Natural gas or air.
- 7. The auxiliary equipment to be used will be floats at the bit and a sub on the floor with a full- opening valve to be stabbed into the drill pipe when the kelly is not in the string.
- 8. This well is in an area which is partially developed; therefore we will not have a testing and coring program. The logging program will be as follows:
  - A. E.S. Induction.
  - B. Gamma Ray Density.
  - C. Gamma Ray Correlation.
  - D. Cement Bond Log.
- 9. We do not expect to find any abnormal pressures, temperatures or hydrogen sulphide problems in this partially developed area.
- 10. The anticipated starting date for this well is 8-1-79

## SUPRON ENERGY CORPORATION

# LOCATION AND EQUIPMENT LAYOUT JICARILLA "G" NO. 6-A


800 Feet from the North line and 975 feet from the West line of Section 2, Township 26 North, Range 5 West, N.M.P.M, Rio Arriba County, New Mexico.





Blowout Preventer will be tested daily and prior to drilling out with the results to be logged on the drillers report.

The B.O.P. and all valve and fittings are rated at 3000 psi working pressure, and hydraulically operated



BLOWOUT PREVENTER HOCKUP

### SUPRON ENERGY CORPORATION POST OFFICE BOX 808 FARMINGTON, NEW MEXICO 87401

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be preformed by SUPRON ENERGY CORPORATION and its contractors subcontractors in conformity with this plan and the terms and conditions under which it is approved.

SUPRON ENERGY CORPORATION

Rudy D. Motto

Area Superintendent Phone: 325-3587