

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

Supron Energy Corp. % John H. Hill, et al.

3. ADDRESS OF OPERATOR Kysar Building, Suite 020

300 W. Arrington, Farmington, New Mexico 87401

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1120' FSL & 1635' FWL (SE SW)

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

5. LEASE DESIGNATION AND SERIAL NO.

Tribal #105

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Jicarilla "A"

7. UNIT AGREEMENT NAME

N/A

8. FARM OR LEASE NAME

Jicarilla "A"

9. WELL NO.

13-E

10. FIELD AND POOL, OR WILDCAT

Mesa Verde-Dakota

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 13 T26N-R4W NMPM

12. COUNTY OR PARISH

Rio Arriba

13. STATE

New Mexico

15. DATE SPUDDED 8/30/80 16. DATE T.D. REACHED 10/13/80 17. DATE COMPL. (Ready to prod.) 1/15/81 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 7158' GR 19. ELEV. CASINGHEAD 7159' GR

20. TOTAL DEPTH, MD & TVD 8250' MD 21. PLUG, BACK T.D., MD & TVD 8212' MD 22. IF MULTIPLE COMPLET., HOW MANY* Dual 23. INTERVALS DRILLED BY ROTARY TOOLS 8250' CABLE TOOLS 0

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 25. WAS DIRECTIONAL SURVEY MADE

5986'-6135' Mesa Verde

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

Gamma Ray and Neutron

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
10 3/4"	32.75#	379' 4/10	14 3/4"	400 sx. Class B	-0-
7 5/8"	26.40#	4484'	9 7/8"	850 sx. Class B	-0-

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
5 1/2"	3787'	8244'	525 sx.		1 1/2" IJ	5956'	

31. PERFORATION RECORD (Interval, size and number)

5986, 92, 99, 6006, 12, 18, 24, 36, 42, 54, 58, 6135.

13 holes with .36" Tolson Gun

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
5986-6135	92,517 Gals. Slickwater
	70,000# 20/40 Sand
	2% KCL Water
	26 Ball Sealers

33.* PRODUCTION

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)	WELL STATUS (Producing or shut-in)
-----------------------	--	------------------------------------

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
1/15/81	3 hrs	3/4"	→				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
293	1046	→		8581			

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented.

TEST WITNESSED BY

A.R. Kendrick

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Michael L. Davis

TITLE

San Juan Division Manager

DATE

9/7/82

BY

FARMING

JRK

*(See Instructions and Spaces for Additional Data on Reverse Side)

NMOCC

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on Items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see Item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for Items 22 and 24 above.)

37. SUMMARY OF FORMER ZONES: SHOW ALL INTERVAL ZONES OF POROSITY AND CONTENTS THEREOF; CORDED INTERVALS; AND ALL DEPTH-STEM TESTS, INCLUDING DEPTH INTERVAL, TESTED, CUSHION TEST, TIME TOOL, OPEN, PLACING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOL. MARKERS	
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP SHAFT DEPTH TRUE VERT. DEPTH
Ojo Alamo	3492		Water		
Fruitland	3600		Gas		
Pictured Cliffs	3797		Gas		
Cliffhouse	5412		Gas		
Point Lookout	5988		Gas		
Gallup	7211		Gas		
Greenhorn	8010		Sandstone		
Graneros	8039		Gas		
Dakota	8114		Gas		