CHANGE ZONES ABANDON*

(other)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY	5. LEASE Contract #108 6. IF INDIAN, ALLOTTEE OR TRIBE NAME Jicarilla
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) 1. oil gas well other	7. UNIT AGREEMENT NAME 8. FARM OR LEASE NAME Jicarilla C 9. WELL NO.
well well well other 2. NAME OF OPERATOR Tenneco Oil Company 3. ADDRESS OF OPERATOR P. O. Box 3249, Englewood, CO 80155 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1700' FSL 1670' FEL "J" AT TOP PROD. INTERVAL:	7E 10. FIELD OR WILDCAT NAME Basin Dakota 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 13, T26N R5W 12. COUNTY OR PARISH Rio Arriba New Mexico
AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	14. API NO. 15. ELEVATIONS (SHOW DF, KDB, AND WD) 7276' gr.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES SUBSEQUENT REPORT OF: U. S. GEOLOGI FARMINGTO	CAL SURVEY (NOTE: Report results of main and completion of zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6/30/81 - RIH w/tbg and 7" well bore cmt pkr. Tagged liner top. Pulled up 20' set pkr. Pmpd dn tbg @ 3 BPM @ 1700#. Press'd bottom side and it held. Released pkr., come up hole 317' to 338' above liner top. Pressured bottom side w/1000#. Squeeze liner top w/150 sx Class B cmt w/6-1/4# sx Gilsonite and 2% CACL2. Obtained squeeze pressure of 2500 PSI w/7 bbls cmt left in 7" csg. Release pkr. R/O 20 bbl. Pulled upon STD and reset pkr. Pressure test to 2500#, bottom side to 1000#.

Subsurface Safety Valve: Many, and Type				Set @	Ft.
Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and signed	correct FLE Adm. S	Supv.	_ DATE	7/9/81	
	pace for Federal or				
APPROVED BY	TITLE		DATE	ACCEPTED FOR A	ECORD

*See Instructions on Reverse Side

JUL 16 1981

DIST. 3