

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe**
Lease No. **078525**
Unit **Pilgrim**

RECEIVED
JUL 22 1959

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|--|--|----------|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | Subsequent Report of Sandfrac Treatment | X |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 22nd, 19 59

Well No. **1** is located **790** ft. from **N** line and **890** ft. from **E** line of sec. **35**
SW/4 SW/4 Sec. 35 **25N** **8W** **N.M.P.M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildcat **San Juan** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **7314** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

3-24-59 TD 7268' RKB. Cleaned out to 7030'. Perforated 7120' to 7125' with 4 shots per foot. Spotted 150 gallons MCA. Sand-oil treated as follows: Loaded hole with 7,000 gallons Dakota distillate, treated with 12,500 gallons distillate and 5,500# sand, flushed with 8,500 gallons distillate. No breakdown. Average treating pressure 3500#, maximum 3550#, minimum 3400#, average injection rate 24.7 barrels per minute. Flowed back total of 5,000 gallons load oil.

3-25-59 Perforated 7029-39' with 4 shots per foot. Set Baker bridge plug at 7053'. Spotted 32 gallons MCA from 7051' to 7019'. Loaded hole with 7,000 gallons

(continued)


I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company _____

Address _____

By _____ Page #1

Title _____



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R388.4.
Approval expires 12-31-60.

Land Office **Santa Fe**
Lease No. **073525**
Unit **Pilgrim**

Page #2

SUNDRY NOTICES AND REPORTS ON WELLS

| | | |
|--|--|----------|
| NOTICE OF INTENTION TO DRILL | SUBSEQUENT REPORT OF WATER SHUT-OFF | |
| NOTICE OF INTENTION TO CHANGE PLANS | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF | SUBSEQUENT REPORT OF ALTERING CASING | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE | SUBSEQUENT REPORT OF ABANDONMENT | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING | SUPPLEMENTARY WELL HISTORY | |
| NOTICE OF INTENTION TO ABANDON WELL | Subsequent Report of Sandfrac Treatment | X |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. _____, 19____
is located _____ ft. from $\begin{Bmatrix} N \\ S \end{Bmatrix}$ line and _____ ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of sec. _____

($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

(Field) (County or Subdivision)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

distillate, treated with 22,200 gallons distillate and
10,500# sand, flushed with 8,500 gallons distillate.
Breakdown pressure with one truck 3100#, broke to 2400#.
Maximum treating pressure 3550#, minimum 3450#, average
injection rate 28.1 barrels per minute.

4-16-59 Flowed and swabbed back load oil. Ran tubing, shut well
in.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **BENSON-MONTIN-GREEN DRILLING CORP.**

Address **158 Petroleum Center Building**

Farmington, New Mexico

By _____

Title **Vice-President**