

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

MI 00032

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

East Bisti Unit

8. FARM OR LEASE NAME

9. WELL NO.

76

10. FIELD AND POOL, OR WILDCAT

Bisti Lower Gallun

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Section 34-25N-10W

12. COUNTY OR PARISH 13. STATE

San Juan

New Mexico

1. OIL ☒ WELL GAS ☐ WELL OTHER ☐

2. NAME OF OPERATOR

Skelly Oil Company

3. ADDRESS OF OPERATOR

1360 Lincoln Street, Denver, Colorado 80203

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

656' TSL and 1979' FEL Section 34-25N-10W

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

6787' GR 6799' KB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

All depths shown are from ground level.

6-28-71 - MI & RU Aztec Well Service Unit. Pulled rods.

Spotted cement plug from 5411' to 5311'. Pulled 2" tubing.

Worked 5-1/2" casing free to 800'. Perforated 5-1/2" casing from 1775' to 1776' w/4 holes

Spotted cement from 1776' to 1626'. Perforated 5-1/2" casing from 1035' to 1036'

w/4 holes. Spotted cement from 1036' to 936', 50' inside and 50' above casing stub.

Pulled 24 joints of 5-1/2" casing 807'.

Spotted 10' cement plug in surface casing. Installed dry hole marker.

Completed P & A 6-28-71.



18. I hereby certify that the foregoing is true and correct

SIGNED

Le L. Bille

TITLE

Lead Clerk

DATE

10-15-71

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: