

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE  
COPIES TO BUREAU OF LANDS, OR TO  
APPROPRIATE AGENCYForm approved  
Bureau of Land Management, No. 42-71421  
7. LEASE OR SIGNATURE AND SERIAL NO.  
SF 079958  
8. IF INDIAN, ALLOTTEE OR TRUST NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> <b>Water Injection</b>		7. UNIT AGREEMENT NAME <b>East Bisti Unit</b>	
2. NAME OF OPERATOR <b>Skelly Oil Company</b>		8. FARM OR LEASE NAME	
3. ADDRESS OF OPERATOR <b>1860 Lincoln Street - Denver, Colorado 80203</b>		9. WELL NO. <b>69</b>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface <b>1980' FSL and 660' FEL Section 33-25N-10W</b>		10. FIELD AND POOL, OR WELLFAT <b>Bisti Lower Gallup</b>	
14. PERMIT NO.		11. SEC., T. & R., N., OR B.M., AND SURVEY OR AREA <b>Section 33-25N-10W</b>	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) <b>6736' DF</b>		12. COUNTY OR PARISH <b>San Juan</b>	
		13. STATE <b>New Mexico</b>	

## 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐  
☐

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

## 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

All depths shown are from Ground Level.

8/6/71 - MI&amp;RU Aztec Well Service Unit. No rods in hole.

Spotted cement plug from 5366' to 5266'. Pulled 2" tubing.

Worked 5 1/2" casing to free same. Rigged up Blue Jet, perforated from 1724'-1725'

w/4 shots and from 984' to 985' w/4 shots. Ran 2" tubing. Spotted cement

plug from 1725' to 1575' and from 985' to 885'. Pulled tubing. Shot casing at


711' did not come loose. Shot casing off at 512'. Spotted cement plug

from 562' to 462', 50' inside casing and 50' above casing stub.

Pulled total of 16 joints 514' of 5 1/2" casing.

Spotted 10' cement plug in surface casing. Installed dry hole marker.

Completed P&amp;A 8/9/71.



## 18. I hereby certify that the foregoing is true and correct

SIGNED

*L. L. Biele*

TITLE

Lead Clerk

DATE December 10, 1971.

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

2 Copies to N.M. O+G Comm - Aztec

See Instructions on Reverse Side