



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.

Lease No. 22 073064

Unit Carson Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
<u>Notice of Intention to Reamplate</u> X	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 11, 1955

Carson Unit
Well No. 43-24 is located 1980 ft. from N line and 660 ft. from E line of sec. 24

SE 24 25N 12W N-TM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Moti San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

Kelly Bashing
The elevation of the KTAL BSS above sea level is 6460 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Status: Total Depth: 4985'
Casing: 4-1/2" @ 4989'
Perforations: 4853-72, 4887-4902, 4904-13, 4915-33, 4941-53, 4957-71.
Previous Treatment: 200 gal. mud acid, sand oil fracture with 67,000 gal. crude, 1 1/2 gal. sand, 150 nylon core balls.

Proposed Work:

1. Sand oil fracture with 50,000 gal. crude, 50,000 sand, 750 gal. fix-a-frac.
2. Recover load and frac oil, establish initial rate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 705 W. Municipal Drive

Farmington, New Mexico

By _____

Title E. W. Shepard
Exploitation Engineer