

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Window Rock, Arizona

Allottee 011241
74-20-603-1349
Lease No. 5266

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOV 4 1957

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Bittony Res

November 1, 1957


Well No. 1 is located 2310 ft. from [N] line and 2310 ft. from [E] line of sec. 23
SW/4 of NE/4 sec. 23 25N 11W
(1/4 Sec. and Sec. No.) (Twp.) (Range)
Unorganized San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the ground ~~derick floor~~ above sea level is 6562 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well with rotary tools to a total depth of 5,100' for a Gallup Sand Test.
Set a 5/8" O.D. 32# csg. at approximately 275', using sufficient cement to circulate cement to surface.
Drill 7 7/8" hole to T.D. and if commercial production is indicated, run 5 1/2", 144 J55 sub csg. w/sufficient amount to bring top of cement at least 600' above top of test zone or 600' above csg.
Perforate production section, test, and free if necessary.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Sunray Mid-Continent Oil Company

Address Box 126

Hobbs, New Mexico

By C. J. M. E. [Signature]

Title Hobbs Area Superintendent

APPROVED
NOV 2 1963
JERRY W. LADD
DIRECTOR, FBI

SECRET

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date November 1, 1957

Operator SUNRAY MIDCONTINENT Lease BITTONY NEZ
Well No. 1 Unit Letter Section 23 Township 25 N Range 11 W NMPN
Located 2310 Feet From north Line, 2310 Feet From east Line
County San Juan G. L. Elevation 6662 Dedicated Acreage 40 Acres
Name of Producing Formation Gallop Sand Pool Gallop Sand (Bite)

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation Partnership.
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner


Land Description

RECEIVED

NOV 4 1957

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Sunray Midcontinent Oil Co.
(Operator)

C. T. McConkey
(Representative)

Box 128, Hobbs New Mex
Address



This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed Oct. 26, 1957

Stephen H. Minney
STEPHEN H. MINNEY
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 802