Form 9-331a (Feb. 1951)

17

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offic	. Santa	Fe,	N.	ř
Lease No.	SF 0780	161	-	
Unit	Carson			

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INT		į n		103*
	ENTION TO DRILL		EQUENT REPORT OF WATER S	İ
NOTICE OF INT	ENTION TO CHANGE PLANS		•	G OR ACIDIZING
	ENTION TO TEST WATER SHUT-OFF		•	G CASING.
	ENTION TO RE-DRILL OR REPAIR	1 1		ING OR REPAIR
	ENTION TO SHOOT OR ACIDIZE		EQUENT REPORT OF ABANDOL LEMENTARY WELL HISTORY	1 10
	ENTION TO PULL OR ALTER CASIN		EMENIARI WELL HISTORI	
NOTICE OF INT	ENTION TO ABANDON WELL			
	(INDICATE ABOVE BY	CHECK MARK NATURE OF	REPORT, NOTICE, OR OTHER	DATA)
		*********	Narch 21	, 19.6
Vell No.		()		m { w line of sec. 17.
(1/4 Sec. a	and Sec. No.) (Tw	p.) (Range)	(Meridian)	
Bieti	Triala)	County or Subdivision	n)	State or Territory)
		DETAILS OF		
	ing po	ands: show sizes, weights,		ngs; indicate mudding joba, cemen
Sp udded : 2-24-60	2-24-60. Ran and comented (sacks, 121 cu. ft.	961) 8-5/8", 2: , Portland com- turns to surfa- ure 75° F±. E	and lengths of proposed casi ant proposed work) Signature J-55 casing a ent treated with se. Surface tem stimated strengt	t 105' with 100 2% calcium perature 20° P± n of cement after OF with RELLEVE
Spudded : 2-24-60 to 2-25-60	2-24-60. Ran and commented (sacks, 121 cu. ft. chloride. Good re formation temperat	961) 8-5/8*, 20 962) 8-5/8*, 20 962) 8-5/8*, 2	and lengths of proposed casi ant proposed work) Signature as a serious as a serious as a serious tempt and a strength and B	MAR 28 1960
Spudded : 2-24-60 to 2-25-60	2-24-60. Ran and commented (sacks, 121 cu. ft. chloride. Good reformation temperatize hrs., 1000 psi.	961) 8-5/8*, 20 962) 8-5/8*, 20 962) 8-5/8*, 2	and lengths of proposed casi ant proposed work) Surface temperated with se. Surface temperated extended extended by ted casing and B	MAR 2 8 1960
Spudded : 2-24-60 to 2-25-60 I understand Company	2-24-60. Ran and cemented (sacks, 121 cu. ft. chloride. Good reformation temperatize hrs., 1000 psi.	961) %=5/8°, 2; Portland cometurns to surfacture 75° F±. Expressure tes	and lengths of proposed casi ant proposed work) Sw J-55 casing a ent treated with se. Surface tem stimuted strengt ted casing and B	MAR 28 1960