


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.
Lease No. LF 078064
Unit Carson Unit



SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

JUL 17 1959

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. 33-13 is located 1900 ft. from N line and 1900 ft. from E line of sec. 13
25N 12W 43N
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Dist San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the drill floor above sea level is 6104 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudbed 7-3-59

7-3-59 Run and cemented (95') 6-5/8", 222, 4-55 casing at 124' with 100 sacks,
 to 122 cu. ft. Portland cement treated with 2% calcium chloride. Surface
 7-4-59 temperature 95°F, formation temperature 75°F. Estimated strength after
 12 hours 1100 psi. Flashed up and waited on cement. Pressure tested
 well and casing with 700 psi, o.k.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company
 Address 705 West Commercial St.
Farmington, New Mexico
 Original signed by
 R. S. Mac ALISTER, JR.
 By R. S. Mac Alister, Jr.
 Title Division Exploitation Engineer