

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe, N.M.  
Lease No. SF 078064  
Unit Carson

**SUNDRY NOTICES AND REPORTS ON WELLS**

|  |                                     |  |  |
|--|-------------------------------------|--|--|
| NOTICE OF INTENTION TO DRILL                   | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF        |  |
| NOTICE OF INTENTION TO CHANGE PLANS            |                                     | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |  |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     |                                     | SUBSEQUENT REPORT OF ALTERING CASING       |  |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL |                                     | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |  |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        |                                     | SUBSEQUENT REPORT OF ABANDONMENT           |  |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    |                                     | SUPPLEMENTARY WELL HISTORY                 |  |
| NOTICE OF INTENTION TO ABANDON WELL            |                                     |  |  |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 29, 1958

**Carson Unit**

Well No. 32-13 is located 1980 ft. from N line and 1980 ft. from E line of sec. 13

NE 13 (1/4 Sec. and Sec. No.) 25 N (Twp.) 12 E (Range) 104N (Meridian)  
Bisti (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of ~~the ground surface~~ is 6380 ft. (Approx. Ground)

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**Proposed Work:**

1. Drill 12-1/4" hole to 100'.
2. Cement 8-5/8" casing at 100' with 50 sacks treated cement.
3. Drill 7-7/8" hole to 5010'.
4. Cement 4-1/2" casing at 5005' with 150 sacks regular cement.
5. Clean out to 4990'.
6. Perforate four 1/2" holes/ft. in intervals determined by logs.
7. Sand-oil fracture with 50,000 gal. crude oil and 1 gal. 20-40 mesh sand.
8. Swab well into production and establish initial rate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 101 S. Behrend Avenue

Farmington, N.M.

Original signed by  
B. W. SHEPARD

By B. W. Shepard

Title Exploitation Engineer

NEW MEXICO OIL CONSERVATION COMMISSION

WITNESSES TO THE OIL CONSERVATION COMMISSION

Section A:

Operator **Shell Oil Company**

Well No. **32-13**

Section **G**

13

Leased **1980**

Post Box **N**

1980

Locality **San Juan**

Section **G**

Name of Producing Formation **Gallup**

Is the Operator the only owner of the well? (If not, attach a list of the other owners.)

Yes ☒ No ☐

2. If the answer to question one is "No", have you executed an agreement with the other owners of the well? (If not, attach a copy of the agreement or otherwise.)

Yes ☐ No ☐

3. If the answer to question two is "No", have you executed an agreement with the other owners of the well? (If not, attach a copy of the agreement or otherwise.)

Yes ☐ No ☐

Section B:

I hereby certify that the information in Section A above is true and complete to the best of my knowledge and belief.


**Shell Oil Company**

*B. W. Shepard*  
Representative

101 S. Behrend

Farmington, New Mexico

Section A: Diagram of well location from corner to corner of section.



Sec. 13

4-4-58

*Carson Unit*  
**E. W. Mudge #3**

SF 078064

25N

12W

E 80

**Bisti**

RECEIVED

MAY 2 1958

OIL CON. COM.

POST 5

FARMINGTON, NEW MEXICO

3-21-58

*Paul Baker*