

		X	
	15		

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe, N. M.
Lease No. NM 036254-1-078066
Unit Garson

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

RECEIVED
SEP 3 1957

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

August 29

, 1957

Gov't.
Well No. 31-15 is located 790 ft. from [N] line and 1380 ft. from [E] line of sec. 15
NE 15 25N 12W MEPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Bisti San Juan N. M.
(Field) (County or Subdivision) (State or Territory)


The elevation of the ~~derrick floor above sea level~~ is 6320 ft. (approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

(Spudded 8-19-57)

8-18, 19-57 Ran and cemented 8-5/8", 24", J-55 casing at 24' with 85 sacks treated cement. Good returns to surface. Flanged up and waited on cement. Tested BOP and casing with 700 psi. OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company
Address 101 S. Behrend
Farmington, N. M.
By B. W. Shepard
Title Exploitation Engineer