


(SUBMIT IN TRIPLICATE)

Land Office Santa Fe, N.M.

Lease No. 32 02852

Unit Carson Unit

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 21, 1958

Carson Unit  
Well No. 31-17 is located 658 ft. from N line and 1975 ft. from E line of sec. 17

17 (1/4 Sec. and Sec. No.) 25N (Twp.) 31W (Range) NMT (Meridian)  
Blatt (Field) San Juan (County or Subdivision) New Mexico (State or Territory)


The elevation of the  Kelly Pumping  ~~drainage floor~~ above sea level is 6361 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 11-14-58.

11-14-58 Run and cemented (97') 8-5/8", 24#, J-55 casing at 107' with 100 sacks, 120 cubic feet Portland cement treated with 2% calcium chloride, surface temperature 100°, formation temperature 75°, estimated strength after 12 hours 1000 psi. Flanged up and waited on cement. Pressure tested casing and BOP with 500 psi, OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil Company

Address 705 Municipal Drive

Farmington, New Mexico

Original signed by  
B. W. SHEPARD

By B. W. Shepard  
Title Exploitation Engineer