

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Santa Fe, N.M.**

Lease No. **NM 036254**

Unit **1245**

NOV 14 1957
GEOLOGICAL SURVEY
NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	X
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 3, 19**57**

Gov't.

Well No. **22-9** is located **1980** ft. from **{N}** line and **1980** ft. from **{E}** line of sec. **9**

N 9 (1/4 Sec. and Sec. No.) **25E** (Twp.) **12W** (Range) **NMPM** (Meridian)
Bisti (Field) **San Juan** (County or Subdivision) **New Mexico** (State or Territory)


The elevation of the **Kelly Bushing** above sea level is **6206.2** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

(Spudded 11-1-57)

11-1, 2-57 Ran and cemented 8-5/8" 24#, J-55 casing at 103' with 1/0 sacks treated cement. Good returns to surface. Flanged up and waited on cement. Tested BOP and casing with 700 PSI 15 minutes, OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Shell Oil Company**

Address **101 South Behrend**

Farmington, New Mexico

By **B. W. Shepard**
B. W. Shepard
Title **Exploitation Engineer**