X 9

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office Santa Pa, Kew	Mexico
Lease No. F 078066	
Unit	

## SUNDRY NOTICES AND REPORTS ON WELLS

			1	CURCEOUTETT DEPORT OF WATER OWNER	
NOTICE OF	INTENTION TO DRILL			SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF	INTENTION TO CHANGE	PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZ	ING
NOTICE OF	INTENTION TO TEST WAT	TER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF	INTENTION TO RE-DRILL	OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REP	AIR
NOTICE OF	INTENTION TO SHOOT O	R ACIDIZE	Х	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF	INTENTION TO PULL OR	ALTER CASING		SUPPLEMENTARY WELL HISTORY.	
NOTICE OF	INTENTION TO ABANDON				
H 9:	" " compli	ate well	<u> </u>		
	(INDIC	ATE ABOVE BY CHECK M	IARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)	
				September 28	, 1956
	- Annexan many &				
Vell No.	32-9 is loca	ted <u>1980</u> ft. fr	rom {	$\left\{egin{array}{l} egin{array}{l} egin{arra$	ne of sec9
N NE	9	25N	12	N# <b>IP</b> I	
(1/4 8	Sec. and Sec. No.)	(Twp.)	(Ran		
isti		San Juan (Cou		ew lexico	
	(Field)	Cou Sushing	nty or Sul	bdivision) (State or Terri	tory)
itate names		o objective sands; show	ΓAILS w sizes, w	OF WORK reights, and lengths of proposed casings; indicate	mudding jobs, cement
State names		DET to objective sands; showing points, and ligo9 12: 8 5/8* 8	FAILS w sizes, w all other	OF WORK reights, and lengths of proposed casings; indicate important proposed work)	mudding jobs, coment
	Total depth: Surface Casi; Hole Size:	DET to objective sands; showing points, and ligo9 12: 8 5/8* 8	FAILS w sizes, w all other	OF WORK reights, and lengths of proposed casings; indicate important proposed work)	mudding jobs, coment
tatus	Total depth: Surface Casir Hole Dise:  I work  1. oun and construct 2. Clean out 3. Fun neutr 4. Lisylece	DET o objective sands; shorting points, and lipoping: 8 5/8" at 7 7/6 for cement light or tion cement. t to 1556. ron log with mud with oil	rails w sizes, w all other t 223 rom 2 iii t	OF WORK reights, and lengths of proposed casings; indicate important proposed work)  1 23 to total depth.  abin; as easing at 1890' with the casing at 1890' with the casin	in 700 digital
tatus:	Total depth: Surface Casis Hole Sise:  I work  1. Sun and construct 2. Clean out 3. Fun neutr 4. Fistlace 5. Ferforate 1836-1816	DET  o objective sands; showing points, and  1909*  18: 8 5/8" s  7 7/0 f  cement high or  tion cement.  t to 1556.  ron log with  mud with oil  s four g hole  ).	rAILS w sizes, w all other t 223 rom 2 iii] to	OF WORK reights, and lengths of proposed casings; indicate important proposed work)  23 to total depth.  abin; as casing at \$890' will  r locator.  intervals \$746 - \$772, \$820	th 200 degles
tatus:	Total depth: Surface Casis Hole Sise:  I work  1. Sun and construct 2. Clean out 3. Fun neutr 4. Fistlace 5. Ferforate 1836-1816	DET  o objective sands; showing points, and  1909*  18: 8 5/8" s  7 7/0 f  cement high or  tion cement.  t to 1556.  ron log with  mud with oil  s four g hole  ).	rAILS w sizes, w all other t 223 rom 2 iii] to	OF WORK reights, and lengths of proposed casings; indicate important proposed work)  1 23 to total depth.  abin; as easing at 1890' with the casing at 1890' with the casin	th 200 degles
roposec	Total depth: Surface Casis Hole Dise:  d work  1. Sun and construct Construct Construct Fun neutr L. Fischese Liggo-Light and the Higherthia	DET coobjective sands; showing points, and 1909* 18: 8 5/8* a 7 7/6 for coment light or tion coment. to 1856. ron log with mad with oil s four g* hold . Visushitt. wall.	rAILS w sizes, w all other t 223 rom 2 ill. to collair es/ft	OF WORK reights, and lengths of proposed casings; indicate important proposed work)  23 to total depth.  abin; as casing at \$890' will  r locator.  intervals \$746 - \$772, \$820	th 200 degles
ror need	Total depth: Surface Casis Hole Dise:  d work  1. Sun and construct Construct Construct Fun neutr L. Fischese Liggo-Light and the Higherthia	DET o objective sands; shorting points, and lipop! 18: 8 5/8" a 7 7/0 for cement light or tion cement. t to 1858. ron log with and with oil four go hole of	rails w sizes, w all other t 223 rom 2 iii t	of Work  eights, and lengths of proposed casings; indicate important proposed work)  23 to total depth.  abin; as casing at 1890' 11'  r locator.  intervals 1716 - 1779, 1883  ing by the Geological Survey before operations in	th 200 ecoles
I understa	Total depth: Surface Casir Hole Dise:  I work  1. Sun and construct 2. Clean out 3. Fun neutr 4. Listlece 5. Ferforate 1. 136-1816 and mat difficulties Shell Hi Con	DET  o objective sands; showing points, and  1,909*  18: 8 5/8" a:  7 7/5 for  cement light or  tion cement.  to 1,556.  ron log with  maid with oil  a four 2" hold  b.  Four 2" hold  company  treet	rAILS w sizes, w all other t 223 rom 2 ill to	of Work  reights, and lengths of proposed casings; indicate important proposed work)  1  23 to total depth.  abin; as casing at 1,890° 41°  r locator.  Intervals 1,71,6 - 1,779, 1,82°  ing by the Geological Survey before operations in the casing at 1,850° 41°  By B.W. Magaza	-L327 and
I understa	Total depth: Surface Casis Hole Dise:  I work  1. oun and construct 2. Clean out 3. Fun neutr 4. Fistlace 5. Ferforate 1. Out 1. Fire and 1. Shell Hill Con 13. Eighter 14. Con	DET  o objective sands; showing points, and  1,909*  18: 8 5/8" a:  7 7/5 for  cement light or  tion cement.  to 1,556.  ron log with  maid with oil  a four 2" hold  b.  Four 2" hold  company  treet	rAILS w sizes, w all other t 223 rom 2 ill to	of Work  eights, and lengths of proposed casings; indicate important proposed work)  23 to total depth.  abin; as casing at 1890' 11'  r locator.  intervals 1716 - 1779, 1883  ing by the Geological Survey before operations in	-L327 and