Form 9-331 b (April 1952)



## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian A	Jo Tribel
Allottee	Ke-De-Pak
	14-20-603-1423

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REDRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY	X
-------------------------------------	---	---

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Ka-Da-Pah	Farmington, N	lew Heariso July 25 19 57
Well No is located	660 ft. from   line and	M.M.P.M.  [Meridian]  M.M.P.M.  [Meridian]  M.M.P.M.  [Meridian]  [Meridian]  [Meridian]  [Meridian]  [Meridian]
SW/4 of Section 3		N. M.P.M.
(14 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)
Misti-Lower Gallup	San Jean	How Maxies
(Field)	(County or Subdivision)	(State on Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ft.

## **DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On July 18, 1957, the following perforationswere perforated with four shots per foot: 4790-4826, 4859-4869, 4875-4864. These perforations were them sand-oil fracked with 49,100 gallens oil and 50,000 pounds sand. Pressure broke at 2050 pounds. Average injection rate 40 RPM. Then flowed 21 BLOPH for 5 hours.



I understar	ed that this plan of work must receive approval in writin	g by the Geological Survey before operations may a	commenced.
Company.	Pan American Petroleum Corporat	Son	
Address	Bex 487		
	Parmington, New Mexico	By Heat	2
	180022	Title Field Clock	
		•	

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8



\*\* ·v ·-

.

.