

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 965 Farmington, New Mexico

May 18, 1956



Sunray Mid-Continent ()il Company Box 128 Hobbs, New Mexico

Re: Santa Fe 078056

Gentlemen:

Redeiot is acknowledged of your "Notice of Intention to Drill" dated May 16, 1956 covering your well No. 6 N.M. Federal "C" lease in NEW SWE sec. 6", T. 25 N., R. 12 W., N. M. P. M., San Juan County, New Mexico, Wildest pool.

Your proposed work is hereby approved subject to compliance with the provisions of the "Oil and Gas Operating Regulations" revised May 25, 1942, a copy of which will be sent to you on request, and subject to the following conditions:


- 1. Drilling operations so authorized are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

(C. 1) 1 1 1

Jerry W. Long Acting District Engineer

Je Long sac



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

en en ekstern en en ekstern en e Ekstern en ekstern en




3

on the second of the second of

A CONTRACTOR OF THE STATE OF TH

ty to the state of the



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Sante	Fe
Lease No	USA -	078 956
Unit K	*****	

SUNDRY NOTICES AN	D REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL.	SUBSEQUENT REPORT OF WATER SHUT-OFF SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
(INDICATE ABOVE BY CHECK MARK NA	TURE OF REPORT, NOTICE, OR OTHER DATA)
N. h. Federal of Lease	\times 16 , 19.56 \times S line and 1980 ft. from \times line of sec.
Of Sec. and Sec. No.) Classes and Sec. No.)	ibdivision) (State or Territory)
The elevation of the derick door above sea level	is <u>6200</u> ft.
	OF WORK
(State names of and expected depths to objective sands; show sizes, v ing points, and all other	weights, and lengths of proposed casings; indicate mudding jobs, cement- r important proposed work)
We propose to drill this well with depth to test the Gallup Sand expect to set 200° of 8 5/8° We expect to drill through to the of approximately 5000° and if prothrough the zone and cement at leasy zone.	pected at approximately 4840'. casing and cement to surface. e Gallup Sand section to a depth oductive, set 5 1/2" casing
We propose to gun perforate the completion.	casing and sand oil frac during
I understand that this plan of work must receive approval in wri	ting by the Geological Survey before operations may be commenced.
Company Sunray Mid-Continent Cil	Company
Address Box 128 Hobbs, New Mexico	By Juli 195. A. Parry
	Title Hobbs area Superintender

NEW MEXICO OIL CONSERVATION COMMISSION

Ernest V. Echohawk

Reg. Land Surveyor, N. Mex., Reg. No. 1545

Form C-128 Well Location and/or Gas Proration Plat 5-16-56 Date Operator Sunray Mid-Continent Oil Company N. M. Federal "C" Lease Well No Federal C#7 6 Section Range 12 West NMPM Township 25 North Located 1980 Feet From South 1980 Feet From West Line, San Juan G. L. Elevation County, New Mexico. Pool Bisti-Gallup Dedicated Acreage 40 Gallup Sand Name of Producing Formation (Note: All distances must be from outer boundaries of Section) NOTE This section of form is to be used for gas wells only. SCALE: 1" 1000' This is to certify that the above that was prepared Is this Well a Dual Comp. ? Yes from field notes of actual striveys field by me or If the answer to Question 1 is yes, are there any other under my supervision and thus he said are true and dually completed wells within the dedicated acreage? correct to the best of my know the and folice. J. A. Parry Date Surveyed May 4, 1956 Hobbs Area Superintendent Sunray Mid-Continent Oil Co.

Box 128 - Hobbs, New Mexico

Address