


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency Navajo Tribal
14-00-603-1448
Allottee CL1672
Lease No. Locality



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 14, 1956


Well No. 1 is located 1979 ft. from [N] line and 1980 ft. from [E] line of sec. 2
Section 5
Willamit (1/4 Sec. and Sec. No.) 27N (Twp.) 12W (Range) 104N (Meridian)
Willamit (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6266 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

12-18-56 Total Depth 5025'.
Run 199 joints 5 1/2", 15-50#, J-55 casing (5025') set at 5025' with 125 sacks Fomina, 125 sacks regular cement with 45 Gal and 1/8" Floccule per sack followed by 30 sacks regular cement.
Hold 1000# for 30 minutes.
Top of cement from temperature survey at 3605'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations are commenced.

Company El Paso Natural Gas Company

Address Box 997
Farmington, New Mexico

ORIGINAL SIGNED F. W. BOYD
By _____
Title Petroleum Engineer

