



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Alamos
Lease No. 71156-1
Unit 1113 111

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

RECEIVED
JUN 20 1962

Well No. 3 is located 600 ft. from N line and 1000 ft. from E line of sec. 3

SE 1/4 Sec. 3 (1/4 Sec. and Sec. No.) 25N (Twp.) 13W (Range) N.M. (Meridian)
Blasi Gallup (Plan) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6093 ft. (1)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Moved in and rigged up cable tools. Drilled out cement and cleaned out from 4900 to 5055 ft. Set stressed steel liner at 4996-4971 ft. per CR or 4960-4972 ft. per EL. Perforated 4990-5000 and 5006-5014 per Volcan Gamma Ray or 4994-5004 and 5012-5018 per EL with 4 jets per foot. Well mudding at rate of 5 gallons oil and 1 barrel water per hour. Shut down cable tools. Well now shut in.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The British-American Oil Producing Co.

Address P. O. Drawer 330

Farmington, New Mexico

By Joe H. Stone

Title Field Superintendent