



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
AZTEC DISTRICT OFFICE

1000 RIO BRAZOS ROAD
AZTEC, NEW MEXICO 87410
(505) 334-6178

OIL CONSERVATION DIVISION
BOX 2088
SANTA FE, NEW MEXICO 87501

DATE 2-17-93

RE: Proposed MC _____
Proposed DHC _____
Proposed NSL _____
Proposed SWD _____
Proposed WFX ✓ _____
Proposed PHX _____

Gentlemen:

I have examined the application dated 2-16-93
for the Hixon Devel. Co. CBU # 5 D-6-25N-12W
Operator Lease and Well No. Unit, S-T-R

and my recommendations are as follows:

Approve, with a pressure limit to 966 psi, unless a step rate
test is run to validate a higher injection pressure.

Yours truly,

Jeff A. Edmister

APPLICATION FOR AUTHORIZATION TO INJECT

- I. Purpose: ☒ Secondary Recovery ☐ Pressure Maintenance ☐ Disposal ☐ Storage
Application qualifies for administrative approval? ☒ yes ☐ no

II. Operator: Hixon Development Company

Address: P.O. Box 2810, Farmington, New Mexico 87499

Contact party: Aldrich L. Kuchera Phone: (505) 325-6984

III. Well data: Complete the data required on the reverse side of this form for each well proposed for injection. Additional sheets may be attached if necessary.

IV. Is this an expansion of an existing project? ☒ yes ☐ no
If yes, give the Division order number authorizing the project R-1636-A.

V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.

* VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.

VII. Attach data on the proposed operation, including:

1. Proposed average and maximum daily rate and volume of fluids to be injected;
2. Whether the system is open or closed;
3. Proposed average and maximum injection pressure;
4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and
5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).

*VIII. Attach appropriate geological data on the injection zone including appropriate lithologic detail, geological name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing water with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such source known to be immediately underlying the injection interval.

IX. Describe the proposed stimulation program, if any.

* X. Attach appropriate logging and test data on the well. (If logs have been filed with the Division they need not be resubmitted.)

* XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.

XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground source of drinking water.

XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.

XIV. Certification

I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

Name: Aldrich L. Kuchera Title Executive Vice President

Signature: *Aldrich L. Kuchera* Date: December 20, 1982

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be duplicated and resubmitted. Please show the date and circumstance of the earlier submittal. Please find attached supplemental information

III. WELL DATA

A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:

- (1) Lease name; Well No.; location by Section, Township, and Range; and footage location within the section.
- (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
- (3) A description of the tubing to be used including its size, lining material, and setting depth.
- (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

- (1) The name of the injection formation and, if applicable, the field or pool name.
- (2) The injection interval and whether it is perforated or open-hole.
- (3) State if the well was drilled for injection or, if not, the original purpose of the well.
- (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
- (5) Give the depth to and name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) the intended purpose of the injection well; with the exact location of single wells or the section, township, and range location of multiple wells;
- (3) the formation name and depth with expected maximum injection rates and pressures; and
- (4) a notation that interested parties must file objections or requests for hearing with the Oil-Conservation Division, P. O. Box 2088, Santa Fe, New Mexico 87501 within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

HIXON DEVELOPMENT COMPANY
APPLICATION FOR AUTHORIZATION TO INJECT
FORM C-108 SUPPLEMENTAL INFORMATION

CENTRAL BISTI UNIT WELL NO. 5
NW/4 NW/4, SECTION 6, T25N, R12W
SAN JUAN COUNTY, NEW MEXICO, NMPM

- I. Shown on application.
- II. Shown on application.
- III. Tabular and schematic Wellbore data are attached.
- IV. This well is located in a Federal and State approved water flood project operational since 1959.
- V. Area of review is shown on attached map.
- VI. Information for well's located in the area of review are attached as follows:

Central Bisti Unit Well No. 1
Central Bisti Unit Water Injection Well No. 2
Central Bisti Unit Well No. 4
West Bisti Well No. A-1
West Bisti Well No. 1 (161)

- VII. 1. Proposed average injection rate is 600 BWPD expected maximum injection rate 1200 BWPD.
- 2. The injection system will be closed.
- 3. Average injection pressures are expected to be in the 1000-1200 psi range. Maximum injection pressure will be 1500 psi.
- 4. Refer to the attached water analysis report. Since the formation water to be encountered is primarily previously injected water no problems are expected in mixing the two waters.
- 5. This well is part of an extensive waterflood project active in the Central Bisti Unit since 1959. All produced water is re-injected into the oil productive Lower Gallup sand to maintain pressure. Injection into the Lower Gallup Sand is for water flooding not disposal.

VIII. The injection zone is the upper bench of the Lower Gallup sandstone. This zone is shown to be 32' in thickness with a top of 4830' KBE as shown on SP log previously submitted. No known sources of underground drinking water exist in this

area. Water well drilling in the area has shown the Ojo Alamo to be dry.

- IX. The well will be acidized as required to maintain injection rate and pressure.
- X. Logs were previously submitted.
- XI. No known sources of drinking water exist in this area.
- XII. This well is part of the existing approved waterflood operation for the Central Bisti Lower Gallup Sand Unit, it is not a disposal well.
- XIII. Proof of Notification attached.
- XIV. Certification shown on Application.

san juan testing laboratory, inc.

907 WEST APACHE

P.O. BOX 2079

FARMINGTON, NEW MEXICO

PHONE

327-4966

Date June 10, 1977

Report to Hixon Development Company

Requested by A. Kuchera, Mgr. Sampled by Hixon Personnel

Project CBU #5 Location NW NW Sec. 6, T25N, R12W

Source of Material Lower Gallup Produced Water

Lab No. 24509 Water Analysis for Petroleum Engineering

TEST RESULTS

WATER ANALYSIS FOR PETROLEUM ENGINEERING

Constituent

Total Solids 2263 ppm
pH 7.25
Resistivity 2.94 ohms/meter @70°F
Conductivity 3,400 micromhos/cm @ 70°F

Constituents

Cations

	Meg/L
Sodium	29.3
Calcium	2.3
Magnesium	0.5
Iron	neg.
Barium	0

ppm

674
45
6
3
0

Comments

Essentially this is a 0.2% sodium sulfate solution.

Anions

Chloride	4.1	145
Bicarbonate	4.0	244
Carbonate	0	0
Hydroxide	0	0
Sulfate	24.0	1150

Copies to Hixon Development Co. (3)

P.O. Box 2810

Farmington, New Mexico 87401

Certified by:



WELL NAME CBU WELL NO. 4
LOCATION 660' FNL, 1980' FWL SECTION 6 T 25N R 12W
CURRENT STATUS: Pumping

GLE 6164'
RBM 6175'
DF _____
KB 11'

SURFACE CASING

Hole size: 12-1/4"
Casing: 8-5/8" 24# J-55 ST&C
Casing set @ 311' w/ 200 sx

FORMATION TOPS

Fruitland _____
Pictured Cliffs _____
Lewis _____
Cliffhouse _____
Menefee _____
Point Lookout _____
Mancos 3806'
Upper Gallup 4552'
Lower Gallup 4814'

CEMENT TOP 3500' (temp. survey)

PERFORATIONS 4818'-20, 4827'-44,
4852'-56, 4861'-68,
4882'-92, 4896'-4908',
4916'-24' (4 SPF)

PBD 4968'

PRODUCTION CASING

Hole size: 7-7/8"
Casing: 4-1/2" 9.5# J-55
Casing set @ 5000' w/ 300 sx

TD 5000'

WELL HISTORY

Spud date: 7-28-59
Original owner: Sunray Mid-Continent
IP 216 BOPD _____ BWPD _____
GOR _____
Completion treatment: 8/17/59 - Fraced
with 20,000# sand and oil. BD-3000#.

CURRENT DATA

Pumping Unit American 228
Tubing 2-3/8"
Pump size 2 x 1-1/2 x 16
Rod string 139 of 3/4" & 54 of 7/8"
Remarks 6-30-71 Tagged fill at
4800'- bailed out to 4820'.

WELL NAME CBU Well No. 1

LOCATION 660' FSL, 660' FWL SECTION 31 T 26N R 12W

CURRENT STATUS: _____

GLE 6159'

RBM 6171'

KB 12'

SURFACE CASING

Hole size: 13-3/4"

Casing: 10-3/4" 32.75#

Casing set @ 173' with 200 sacks

2-3/8" 4.7# J-55 EUE 8rd tubing

Packer Corrosion Fluid

FORMATION TOPS

Fruitland _____

Pictured Cliffs 1153'

Lewis _____

Cliffhouse _____

Menefee _____

Point Lookout 3637'

Mancos _____

Upper Gallup 4720'

Lower Gallup _____

CEMENT TOP 3800'
(by calculation)

PERFORATIONS 4954'-60', 4942'-48' ☒ 4750'

4932'-38', 4906'-17' ☐ 4836'-70'

4895'-4900, 4836'-70' ☐ PBD 4883'

PBD 4969' ☐ 4895'-4900'

☐ 4906'-17'

☐ 4932'-38'

☐ 4942'-48'

☐ 4954'-60'

PRODUCTION CASING

Hole size: 7-7/8"

Casing: 5-1/2" 14# J-55 8rd

Casing set @ 4998'

TD 5000'

WELL HISTORY

Spud date: 4-27-56

Original owner: Sun ray Mid-Continent

IP 192 BOPD BWPD

GOR

Completion treatment:

CURRENT DATA

Pumping Unit

Tubing

Pump size

Rod string

Remarks

WELL NAME CBU WELL NO. 5

LOCATION 660' FNL, 660' FWL SECTION 6 T 25N R 12W

CURRENT STATUS: _____

GLE 6184'

RBM 6196'

DF _____

SURFACE CASING

Hole size: 12-3/4"

Casing: 10-3/4" 32.75# H-40

Casing set @ 209' w/ 175 sacks

FORMATION TOPS

Fruitland _____

Pictured Cliffs 1200'

Lewis _____

Cliffhouse _____

Menefee _____

Point Lookout 3645'

Mancos _____

Upper Gallup 4718'

Lower Gallup 4830'

CEMENT TOP 3700' (temp survey)

PERFORATIONS 4828'-56' (4 SPF)

4874'-78', 4896'-4900'

4912'-16', 4934'-38'

PBD 4943' (1977)

Squeezed with 150 sacks
cement

PRODUCTION CASING

Hole size: 8-3/4"

Casing: 7" 20# & 23#

Casing set @ 5001' with 200 sacks

TD 5002'

2-3/8" 4.7# J-55 EUE 8rd tubing

Packer Corrosion Fluid

WELL HISTORY

Spud date: 4-2-56

Original owner: Sunray

IP 288 BOPD 0 BWPD _____

GOR 396

Completion treatment: Originally completed
for production

CURRENT DATA

Pumping Unit _____

Tubing _____

Pump size _____

Rod string _____

Remarks Baker Model AD-1 tension
packer to be set about 4700'.

Injection interval 4828'-56' will
be reperforated with 56 0.41" holes.

WELL NAME West Bisti Unit No. A-1

LOCATION SE/4 SE/4 SECTION 36 T 26N R 13W

CURRENT STATUS: _____

GLE 6161'

RBM _____

DF _____

SURFACE CASING

Hole size: _____

Casing: 10-3/4"

Casing set @ 212' w/200 sx

FORMATION TOPS

Fruitland _____

Pictured Cliffs 1194'

Chacra 1515'

LaVentura 1925'

Menefee _____

Point Lookout 3658'

Mancos 3798'

Haspah 4657'

Lower Gallup _____

CEMENT TOP _____

PERFORATIONS 4831' - 4945'

PBD 4978'

PRODUCTION CASING

Hole size: _____

Casing: 7

Casing set @ 5018' w/200 sx

TD 5042

WELL HISTORY

Spud date: 3/30/56

Original owner: _____

IP _____ BOPD 209 BWPD _____

GOR 377

Completion treatment: SOF

CURRENT DATA

Pumping Unit _____

Tubing _____

Pump size _____

Rod string _____

Remarks _____

WELL NAME CBU WELL NO. WIW-2

LOCATION 1980' FNL, 660' FWL SECTION 6 T 25N R 12W

CURRENT STATUS: Injection

GLE 6186'

RBM 6199'

DF _____

SURFACE CASING

Hole size: 15"

Casing: 10-3/4" 32.75# 8rd

Casing set @ 177' w/ 200 sx

FORMATION TOPS

Fruitland _____

Pictured Cliffs 1180'

Lewis _____

Cliffhouse _____

Menefee _____

Point Lookout 3630'

Mancos 3740'

Upper Gallup 4820'

Lower Gallup _____

CEMENT TOP

PERFORATIONS

4869'-62'

4850'-34'

(4 SPF)

PBD 4854'

PRODUCTION CASING

Hole size: 8-3/4"

Casing: 5-1/2" 14# 8rd

Casing set @ 5025' w/ 175 sx

TD 5026'

WELL HISTORY

Spud date: 4-27-56

Original owner: Sunray Mid Continent

IP 676 BOPD _____ BWPD _____

GOR _____

Completion treatment: _____

CURRENT DATA

Pumping Unit _____

Tubing 2-7/8" at 4930'

Pump size _____

Rod string _____

Remarks Ran Baker Model D packer

at 4800'. Plugged well back to

4854' - only perfs 4834'-50' open

(sand capped with cement)

WELL NAME CBU WELL NO. WIW-2
LOCATION 1980' FNL, 660' FWL SECTION 6 T 25N R 12W
CURRENT STATUS: Injection

GLE 6186'

RBM 6199'

DF _____

SURFACE CASING

Hole size: 15"

Casing: 10-3/4" 32.75# 8rd

Casing set @ 177' w/ 200 sx

FORMATION TOPS

Fruitland _____

Pictured Cliffs 1180'

Lewis _____

Cliffhouse _____

Menefee _____

Point Lookout 3630'

Mancos 3740'

Upper Gallup 4820'

Lower Gallup _____

CEMENT TOP

PERFORATIONS

4869'-62'

4850'-34'

(4 SPF)

PBD 4854'

PRODUCTION CASING

Hole size: 8-3/4"

Casing: 5-1/2" 14# 8rd

Casing set @ 5025' w/ 175 sx

WELL HISTORY

Spud date: 4-27-56

Original owner: Sunray Mid Continent

IP 676 BOPD _____ BOPD _____

GOR _____

Completion treatment: _____

CURRENT DATA

Pumping Unit _____

Tubing 2-7/8" at 4930'

Pump size _____

Rod string _____

Remarks Ran Baker Model D packer

at 4800'. Plugged well back to


4854' - only perfs 4834'-50' open

(sand capped with cement)

TD 5026'

Tracer surveys, - logs

CBU WELL NO. 5



HIXON DEVELOPMENT COMPANY
CENTRAL BISTI UNIT

San Juan County, New Mexico

0 1000 2000 3000 4000

SCALE IN FEET

DATE January, 1978

Revised August, 1979

NOTICE

HIXON DEVELOPMENT COMPANY, P.O. Box 2810, Farmington, New Mexico 87499, (505) 325-6984, whoes agent is Aldrich L. Kuchera hereby notifies interested parties that the CBU Well No. 1, 5 and 54 located in the SW/4 SW/4 Section 31, T26N, R12W, NW/4 NW/4 Section 6 and SW/4 NW/4 Section 5, T25N, R12W respectively are to be converted to water injection wells. Maximum rate will be 1200 BWPD at less than 1500 psi. Any request or objection should be filed with Oil Conservation Division, P.O. Box 2088, Santa Fe, New Mexico 87501 within 15 days.

LEGAL NOTICE NUMBER 12755 TO BE PUBLISHED 2/16/83