Budget Approv	Bureau	No.	42-R	358.4.
Approv	2336	10 2	200	0.

Form 9-331 a (Feb. 1951)						

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office 080068
Lease No. No.
Unit

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WAT	ER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLA	NS	SUBSEQUENT REPORT OF SHOO	OTING OR ACIDIZING	
OTICE OF INTENTION TO TEST WATER	SHUT-OFF	SUBSEQUENT REPORT OF ALTE	RING CASING	\
OTICE OF INTENTION TO RE-DRILL OF	REPAIR WELL	SUBSEQUENT REPORT OF RE-D	RILLING OR REPAIR.	
IOTICE OF INTENTION TO SHOOT OR A	i	SUBSEQUENT REPORT OF ABAN		
IOTICE OF INTENTION TO PULL OR ALT	TER CASING	SUPPLEMENTARY WELL HISTOI	RY	
OTICE OF INTENTION TO ABANDON WE	ELL		-	
/wp.cate	ADOVE BY CHECK MARK N	NATURE OF REPORT, NOTICE, OR OTH	(ED DATA)	
(INDICATE	ABOVE BY CHECK MARK N	May 2		57
1	8nn	000	XXX	7
II NT		**N 1:	from [E] line of see	•
ell No. is located as Section 1	25% It. 170m	990 15 line and ft.	W ime or sec	
	•			
Calsup Milideat	(Twp.) San Jo	(Meridian)	New Mexico	
		~	(State or Territory)	
(Field)	(County or	Subdivision)	(State of Territory)	
,		•		
he elevation of the derrick f	loor above sea leve	el is ft.	casings: indicate mudding jobs	. ceme
he elevation of the derrick f	loor above sea leve	el isft. S OF WORK , weights, and lengths of proposed	casings; indicate mudding jobs,	, ceme
he elevation of the derrick f	door above sea leve DETAIL bjective sands; show sizes	el is ft.	tion using rotary	, ceme
ne elevation of the derrick f	DETAIL bjective sands; show sizes	el isft. S OF WORK s, weights, and lengths of proposed har important appropriate to the second with th	tion using rotary	, cemei
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program:	DETAIL being the sands; show sizes triff points and all of rate and sand-o th 5700'.	el isft. S OF WORK s, weights, and lengths of proposed har important parameter with the contract of th	tion using rotary s producing zones.	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170	DETAIL being the sands; show sizes in 111 points and all of rate and sand-o th 5700'.	el isft. S OF WORK s, weights, and lengths of proposed har important partials with maximal formation of the control of	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ne elevation of the derrick for the names of and expected depths to one it is intended to describe tools and to perform Estimated Total Depths to one in the second Program: 10-3/4" at 170 5-1/2" at 5700	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Der Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Dep Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section	DETAIL bjective sands; show sizes riff point said life rate and sand-o th 5700'. O' with 150 sac	el isft. S OF WORK s, weights, and lengths of proposed the important of the proposed in fracture possible the regular cement color regular cement.	tion using rotary s producing zones. irculated to surfa	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Der Casing Program: 10-3/4" at 170 5-1/2" at 5700 The NW/4 of Section SF 080088, NW/4	DETAIL bjective sands; show sizes ir iff point said sand-o oth 5700'. O' with 150 sac o' with 175 sac o' 1 22 dedicate	el isft. S OF WORK s, weights, and lengths of proposed for internating Torner il fracture possible ixs regular cement construction to this well.	tion using rotary producing zones. irculated to surface sacks Formix.	
ate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Der Casing Program: 10-3/4" at 170 5-1/2" at 5700 The NW/4 of Section SF 080088, NW/4	DETAIL bjective sands; show sizes ir iff point said sand-o oth 5700'. O' with 150 sac o' with 175 sac o' 1 22 dedicate	el isft. S OF WORK s, weights, and lengths of proposed for internating Torner il fracture possible ixs regular cement construction to this well.	tion using rotary producing zones. irculated to surface sacks Formix.	
tate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Der Casing Program: 10-3/4" at 170 5-1/2" at 5700 The MW/4 of Section SF 080088, NW/4	DETAIL bjective sands; show sizes ir iff point said sand-o oth 5700'. O' with 150 sac o' with 175 sac o' 1 22 dedicate	el isft. S OF WORK s, weights, and lengths of proposed for internating Torner il fracture possible ixs regular cement construction to this well.	tion using rotary producing zones. irculated to surface sacks Formix.	
tate names of and expected depths to o It is intended to d tools and to perfor Estimated Total Der Casing Program: 10-3/4" at 170 5-1/2" at 5700 The HW/4 of Section SF 080088, HW/4	DETAIL bjective sands; show sizes ir iff point said sand-o oth 5700'. O' with 150 sac o' with 175 sac o' 1 22 dedicate	el isft. S OF WORK s, weights, and lengths of proposed for internating Torner il fracture possible ixs regular cement construction to this well.	tion using rotary producing zones. irculated to surface sacks Formix.	



OIL CONSERVATION COMMISSION

WELL LOCATION AND/OR CAS PROPATION PLAT

#4 644 6. EI	L PASO WA	TIRAT. G	AS COMP	ANY :	Moker		MAY 20, 1957 SF 080088
	7	MANAGE M					11-W
	800	* 11.4. 			990		WEST
- · · · · · · · · · · · · · · · · · · ·	SAN J						61,35
tare a fa		Note: A!	GALLUI		ole WILDCAT		160 <u>ACRE</u> S (1934 PLAT)
							,
	× ×		0 : 0 :				
		990					
	X					-	A
	$\ddot{\otimes}$	- OBO	~ 42				
	— ×	st 080	V00				
	$\ddot{\otimes}$!		SECTION 1			
	****		XXXXXX 				
				 		1	`
			ļ				NOTE. This section of
				· · · · · · · · · · · · · · · · · · ·			form is to be used
		1					for gas wells only
	<u></u>						
			Se	ale Luche +	qui l'mile		\downarrow
This is to certify that the above plat wave pres and from						well a Dazi Comp.	
fiel! notes of actual surveys made by me or unior my unery, ion and that the same are true and correct to the				2. If the answer to Question 1 is yes, are there any other healty			
nest of my knowledge and belief.							
nost of my kne							
	MARCH	6. 1957	,				ted wells within the ed acreage.
Date Surveyed	MARCH	6. 1957	<i>f</i>	l		dedicat	
	lo. 0	1/	alx	ed Surveyor		dedicat	ed acteage.
Date Surveyed	lo. 0	1/	alx	nd Surveyor		dedicat	OC foliuston
Date Surveyed	lo. 0	1/	alx	nd Surveyor		dodre.at Yes Name	De foliuston Petrolous Engineer